

ROSSITE & BIO-ROSS

Mit

15 H. OZ. (1 pt.) 473 m

POISON

Pkg Qty Price 1 Price 2

19.26 16.95

DANGER

Description

1 lb. Containers

Item #

80-401



Danger—Contains Caustic Soda! This product is produced solely for use by professional plumbing contractors and specifically should not be used by unqualified consumers.

Those who resell these products should be covered by their OWN product liability insurance.



There is nothing like it! Rossite goes further and cleans drains better. Will not crystallize.

Rossite is made from an exclusive and PATENTED formula that has been developed for the particular use of the plumbing trade. Plumbers prefer it because **Rossite** boils its way through obstinate stoppages with a Rapid Triple Action that does twice the work in half the time...and **without disagreeable odors**.

Scientific tests prove that Rossite is better!

Tests prove **Rossite** is the only product on the market that will, when activated, maintain a temperature of **200° or more**—for over 12 minutes! This is the real secret to **ROSSITE's** success.

Rossite is poured directly into the drain. Followed by a little water, it will open and clear stoppages caused by hair, lint, vegetable matter, grease, etc. Also very effective for thawing frozen drains, stacks and flush tanks. Will not harm enamelware, pipes and connectors.

Do not use in disposers or on aluminum. Always flush with cold water.



Bio-Ross[™] is comprised of 8 unique synergized bacterial strains and each 2 lb. container has over 4.5 trillion enzyme producing bacteria, which far surpasses any other similar product on the market. Bio-Ross[™] produces enzymes which eliminates all types of grease, fat, oils, modern synthetic detergents, cleaners, soaps and toilet paper from the drain system. Best of all, Bio-Ross[™] is completely safe.

> Phone: 1-800-777-6500 Fax: 1-800-982-5934

Webs www.HodesCo.com

A SAFE, ECONOMICAL AND MUCH MORE EFFECTIVE WAY TO CLEAN AND PREVENT SLOW DRAINS AND INCREASE YOUR CASH FLOW!

			SOLD 6 PER CASE O	NLY		
Item # Description Pkg Qty					Price 1	Price 2
80-808 BIO-ROSS — 2 lb. Container				6	21.53	18.95
Ň	90	2	Price 1	Pric	e 2	ſ
PLUMBING PARTS		RTS	Order Less Than \$500	Order \$50	0 or M	ote

ROSSITE & BIO-ROSS

DRAIN CLEANERS



For Cleaning Brick and Tile: Prepare a solution containing 1 part STRIP and 4 parts water. Use a brush dipped in the solution to scrub brick or tile facing. Wear goggles. USE RUBBER GLOVES and protect person and clothing. Do not apply to mortar. WASH THOROUGHLY WITH WATER.

OUR C You m

GUARANTEE—						Contains 4 - 8oz bags pe	r 2 lh o	an			
nust be satisfied.	Item #	Description	Pka Qtv	Price 1	Price 2	002 bays pe	1 Z ID. 0	an.			
				1		SOLD IN					
SOLD IN QUANTITIES OF	80-140	STRIP in Quarts	12	20.40	17.95	QUANTITIES OF	Item #	Description	Pkg Qty	Price 1	Price 2
12 ONE QUART CONTAINERS ONLY.	80-295	Closet Bowl Swabs	5	2.56	2.25	12 TWO POUND CONTAINERS ONLY.	80-155	2 Lb. Container	12	31.76	27.95
CONTRACT OF ONE DATE											



LIQUID ENZYME TREATMENT! **NON-CAUSTIC** FOR WEEKLY DRAIN LINE

MAINTENANCE

DIGESTS AND LIQUEFIES WASTE PLUS IMMEDIATE MALODOR NEUTRALIZATION

ADVANTAGES

Harmless to marine Produces aerobic & Excellent shelf life	dors ins, carbohydrates & grease	Harmless to plants Easily applied Contains no additives—	100% effective
	AREAS OF L	JSE	
Grease Traps	Drains & Mains	Septic Tanks	Porta-Toilets

RV Toilet Tanks	Marine Toilet Tanks	Cesspools	Drains Field:
Sump Pumps	Dry Wells	Ponds	Lagoons
Holding Tanks	Sewage Waste Plants	Industrial Waste Plants	Homes

RECOMMENDED FOR

Feed Lots	Homes
Veterinarians	Commercial Bu
Public Restrooms	Dairy Industries
Food Processing Plants	Nursing Homes
Oil Field Slushpits	Boats & Marina
Restaurants & Cafeterias	Institutions/Sch

Price 1

Order Less Than \$500


Homes	Hog Parlors
Commercial Buildings	Pulp & Paper Mills
Dairy Industries	Apartment Complexes
Nursing Homes	Ranches
Boats & Marinas	Hospitals
Institutions/Schools	Municipalities

Price 2

and gases it produces. LIQUID ALIVE not only masks odors, it eliminates their causes, LIQUID ALIVE cannot rest in the presence of organic waste materials; it must process them. Once their job is done they immediately concentrate on building their colony population up to full strength. As soon as new waste comes into their presence they swing into action. Anywhere in your plumbing system (elbows, bends, joints and traps) where solid waste can accumulate LIQUID ALIVE can build a colony and eliminate the cause of sluggish drains and odor. LIQUID ALIVE can be sprayed on flat surfaces to eliminate organic odor in carpets, from urine, vomit, waste, etc.-or poured into ponds and lakes to control organic odor-safely.

LIQUID ALIVE is a suspension treatment

anaerobic, and facultative in nature. The bacteria are harmless to animal and marine life and are non-pathogenic. They eliminate the foul odors



Farms SOLD IN QUANTITIES OF 12 ONE QUART CONTAINERS ONLY. Zoos Price 2 Description Pkg Qty Price 1 Item # Plants 80-130 20.40 17.9 Liquid Alive - One Quart Container Phone: 1-800-777-6500 Fax: 1-800-982-5934 199

Web: www.HodesCo.com

entire inside of pipe through which it flows, that way affecting growth

entering from top or bottom of sewer line.



Stockyards

Hotels

Motels



CHEMICALS

OMPOUNDS. TOOLS UTILITY & HVAC

	CHEMICALS COMPOUNDS, TOOLS	CHEMICALS &	COMPOUNDS
	UTILITY & HVAC ZOOM SPOUT OILER RUST BUSTER		HONOR
	PRICED EACH SOLD 12 PER DISPLAY ONLY	HEATER DESCALER	THY
	For use on all motors, blowers, linkages, appliance pumps, high speed shaft bearings Flexable spout extends additional 7-1/2" <u>Item # Description Price 1 Price 2</u> 80-191 Spout Oiler Display 6.81 5.99	Removes mineral deposits from expansion tank Extends the life of the water heater when used regularly Compatible with most metal, rubber, ABS, PVC, and CPVC materials <u>Item # Description Price 1 Price 2 80-135 32 oz. 22.67 19.95 </u>	PLUMBER TM PROFESSIONAL GRADE PRODUCTS
	BLUE MONSTER DRAIN BANGER • Professional Strength, One Pound bottle • Sold only in a case quantity	PUTTY	TEFLON PIPE DOPE
CHEMICALS	 Devours hair, grease, soap and oils that slow and plug drain lines in less than 60 seconds Hot water activated, odorless Item # Description Pkg Qty Price 1 Price 2 80-823 1 lb. Containers 24 11.35 9.99 80-103 2 lb. Containers 12 21.58 18.99 	Made especially for the plumbing trade • Do not use on artificial marble Item # Description Price 1 Price 2 82-151 14 oz. 2.26 1.99 82-150 5 lb. 12.72 11.19	Brush in top Heavy duty premium grade-white 24 PER CASE Item # Description Price 1 Price 2 82-104 1/2 Pint (8 oz.) 16.69 14.69
	SOLDER PASTE SELF-CLEANING	 STEM LUBE Easy grip screw-off lid Food grade approved USDA accepted AA Top quality heat proof stem lubricant specially designed 	CUTTING OIL 1 GALLON CONTAINER PREMIUM
	Easy to use. Removes oxidation and prepares metal for proper bond of solder. Needs no preparation. Makes solder flow freely and tin perfectly. Screw top jar. Item # Description Price 1 Price 2	for faucet stems, spouts, etc. • Formulated in compliance with CFR, Title 21, part 121, section 121.2553 of the food and drug administration regulations Item # Description Price 1 Price 2	To lubricate pipe cutting dies Dark color use on iron Stainless 4 PER CASE Item # Description Price 1 Price 2
	82-144 8 oz. 14.72 12.95 Oatey (NO. 95)	25-123 1 oz. 3.74 3.29 Oatey (H-20 ⁵)	82-125 1 Gallon Cutting Oil 40.33 35.49
	LEAD FREE TINNING FLUX		• NSF listed
	Silver solder added Does not turn copper green Cleans, tins & fluxes in one step <u>Item # Description Price 1 Price 2 82-750 1.7 oz. Tinning Flux 4.53 3.99 82-751 8 oz. Tinning Flux 15.33 13.49 </u>	Water fluxable Thick as #5 Meets ASTM D-13 Item # Description Price 1 Price 2	100% lead free Cleans and fluxes at the same time Blended to clean surface oxidation Effective on all metals except aluminum and stainless steel Item # Description Price 1 Price 2 82-748 8 oz. #5 Paste Flux 7.60 6.69
	82-752 16 oz. Tinning Flux 21.81 19.19 200 Phone: 1-800-777-650 Fax: 1-800-982-5934 Yeb: www.HodesCo.co	HODESCO	82-749 1 lb. #5 Paste Flux 11.81 10.39 Price 1 Price 2 Price 1 Price 2 Less Than \$500 Order \$500 or More Price 1

CHEMICALS COMPOUNDS COMPOUNDS, TOOLS UTILITY & HVAC **BLUE MONSTER** NOKORODE **MEGALOC™** THREAD SEALANT SOLDER PASTE MICROBUBBLE

- Blue Monster Microbubble Gas Leak Detector
- Non freezing formula usable from -10°F to 215°
- Effective on natural gas, propane, butane, air, nitrogen, chlorine, CO2 & most other gases

• Not for use on oxygen systems

RECTORSEAL #5

Item #	Description	Price 1	Price 2
84-276	8 oz. (1/2 Pint)	10.22	8.99
84-277	32 oz. (1 Quart)	17.60	15.49



Item #	Description	Price 1	Price 2
82-098	1/4 Pint (4 oz.)	11.31	9.95
82-105	1/2 Pint (8 oz.)	16.99	14.95
82-099	Pint (16 oz.)	27.22	23.95





- · Slow-drying, soft-setting
- · Industrial grade thread sealant
- Non hardening pipe thread compound

Price 1

- · Lead free, non-toxic, will not harden or separate in the can • Brushable from -50F (-45C) to +400F (204C)
- 24 cans par hav

Item #	Description	Price 1	Price 2				
82-116	Thread Sealant - 2 oz	4.49	3.95				
82-113	Thread Sealant - 4 oz	7.90	6.95				
82-134	Thread Sealant - 8 oz (1/2 Pint)	12.44	10.95				
82-135	Thread Sealant - 16 oz (1 Pint)	19.26	16.95				

Order Less Than \$500 Order \$500 or More

5°F	 For use with all 	and non-hazardous metals and plastics cracks or becomes by <i>Description</i> 8 oz. (1/2 Pint) 16 oz. (1 Pint)	rittle Price 1 Price 2 13.63 11.99 33.28 29.29	• Lead free • No odor • Will not freeze <u>Item #</u> 82-745 82-744 82-746	or decompose Description 1.7 oz. 8 oz. 16 oz.
		PASTE JEATHER			FREE LDER
ce 1 Price 2 .31 9.95 .99 14.95 .22 23.95		for use on all solder 95/5 and all lead Description 8 oz. 16 oz.	Price 1 Price 2 14.72 12.95 19.26 16.95	Most commonl	melting range. irements of the Safe y used where freque hanges and vibration Description 4 oz
	HARRIS 100% LEAD WIRE SO			HARRIS PREMIUI 100% LEAD WIRE SO	FREE

- 97% tin, 3% copper
- 1/8" ribbon · Contains no lead
- · Meets all Federal specifications
- Performance of 50/50 outperforms 95/5
- · Rosseal Solder Flux is an ideal companion
- 50 rolls per box

Item #	Description	Price 1	Price 2
70-140	1 lb. 100% Lead Free	37.44	32.95

BLUE MONSTER



- Non-hardening pipe thread compound
- · Lead free, non-toxic, will not harden or separate in the can
- Brushable from -50F (-45C) to +400F (204C)
- 24 cans per box

Price 2







rice 1 4.53

3.99

- antimony.
- afe Drinking Water Act. uent and extreme ons occur

Price 1 Price 19.26 16.95

201



 50 rolls per box Description Price 1 Price 45.40 39.95 1 lb. 100% Lead Free

BLOCK PIPE JOINT SEAL

Item #

70-143

BLUE MONSTE



CHEMICALS Compounds, tools Utility & hvac

CLEANER, PRIMER, CEMENT

YELLOW LA	UTILITY & HVAC				
			TAN LABEL	PURPLE LABEL	
ALL PURP		and and a second second	CLEAR PRIMER	PURPLE PRIMER	and the
	R	Datey'			
		CLEANER			#3575
• ABS, PVC, CPVC	、	A CONTRACTOR OF THE OWNER	1	PERIOD PROVIDE	CLASS OF
For all schedules		Star The	For PVC & CPVC pipe and fittings	• CPVC, PVC • Removes dirt, grease and grime	-
Flows freely and		All and	All schedules, all diameters Removes surface dirt, grease &	as well as softens pipe surface to	
 Does not penetra Apply at 40°F to 1 			grime as well as softens the pipe	allow for fast solvent weld	and the second
Item #	Description	Price 1 Price 2	surface for fast solvent weld Exceeds ASTM F-656 	Evaporates quickly Apply at 40°F to 100°F	
	1/4 Pint (4 oz.)	5.67 4.99	NSF Listed		1 Price
	1/2 Pint (8 oz.)	7.94 6.99	Item # Description	Price 1 Price 2 84-211 1/2 Pint (8 oz.) 9.00	8 7.9
84-209	Pint (16 oz.)	12.26 10.79	84-248 Pint (16 oz.)	11.58 10.19 84-212 Pint (16 oz.) 9.6	5 8.4
84-210	Quart (32 oz.)	15.33 13.49	84-249 Quart (32 oz.)	19.31 16.99 84-251 Quart (32 oz.) 17.94	4 15.7
GOLD LA	RFI		DARK GREEN LABEL	LIGHT BLUE LABEL	
REGULAR			ALL WEATHER	RAIN-R-SHINE™	
PVC CEN			CEMENT FOR PVC	CEMENT FOR PVC	20
		Ley X			E
		PVD CEMENL	Madium hadiad fast act	, Dhia	-
• Clear	DVO	The Part Canada internation	Medium bodied-fast set For PVC pipe & fittings up to 6"	Blue For PVC pipe and fittings up to 6"	STILL ST
 Recommended for up to 4" & for Sch 		DANGER .	For Sch. 40 & Sch. 80 potable	For Sch. 40 & Sch. 80 potable	NAME OF
Exceeds ASTM D	-2564	THE REAL PROPERTY AND ADDRESS OF THE PARTY ADDRESS OF T	water pressure pipe, gas, conduit, drain waste & vent pipes	water pressure pipe, irrigation, gas, conduit, drain waste & vent pipe	ALC: NO
 Apply at 40°F to NSF & UPC Liste 		ADDE NOR 59	Apply at 10°F to 100°F	Apply at 40°F to 100°F	
Item #	Description	Price 1 Price 2	Exceeds ASTM D-2564 NSF Listed	Exceeds ASTM D-2564 NSF & UPC Listed	
	1/4 Pint (4 oz.)	5.67 4.99	Item # Description		1 Price
84-203	Pint (16 oz.)	10.56 9.29	84-218 Pint (16 oz.)	17.94 15.79 84-232 1/2 Pint (8 oz.) 10.2	_
84-204	Quart (32 oz.)	17.60 15.49	84-219 Quart (32 oz.)		0 15.4
GREEN LAB	El		LIGHT GREEN LABEL	RED LABEL	
HEAVY-DU			ABS TO PVC		and the second s
PVC CEME		STREET, STREET, ST	TRANSITION CEMENT	CEMENT	15
• Clear		PVC CEMEN		No. of Concession, Name	-
• Cleal				Milky clear	ET NEW
Exceeds ASTM D	-2564	The all		Milky clear For ABS, PVC and CPVC	
Apply at 40°F to	100°F			• For ABS, PVC and CPVC • Apply at 40°F to 100°F	
 Apply at 40°F to NSF & UPC Liste 	100°F	neter	A	For ABS, PVC and CPVC Apply at 40°F to 100°F Exceeds ASTM D-2564, D-2846, D 2325 E 402 standards	
 Apply at 40°F to NSF & UPC Liste For PVC pipe & fi For Sch. 40 & Sci 	100°F d ittings up to 12" in diar h. 80 potable water pro		Medium-bodied green cement forume in initials APO to DVO in	For ABS, PVC and CPVC Apply at 40°F to 100°F Exceeds ASTM D-2564, D-2846, D-2235, F-493 standards 1/4 Pint (4 oz.) & 1/2 Pint (8 oz.) up to 6" pipe	
Apply at 40°F to NSF & UPC Liste For PVC pipe & fi For Sch. 40 & Scl conduit, drain was	100°F rd ttings up to 12" in diar h. 80 potable water pro ste & vent pipes	essure pipe, gas,	Medium-bodied green cement for use in joining ABS to PVC in non-pressure transition joints	• For ABS, PVC and CPVC • Apply at 40°F to 100°F • Exceeds ASTM D-2564, D-2846, D-2235, F-493 standards • 1/4 Pint (4 oz.) & 1/2 Pint (8 oz.) up to 6" pipe • Pint (16 oz.) & Quart (32 oz.) up to 12" pipe	
Apply at 40°F to NSF & UPC Liste For PVC pipe & fi For Sch. 40 & Sci conduit, drain was Item #	100°F id ittings up to 12" in diar h. 80 potable water pro ste & vent pipes <i>Description</i>	essure pipe, gas, Price 1 Price 2	for use in joining ABS to PVC in non-pressure transition joints • All schedules up to 6" diameter	• For ABS, PVC and CPVC • Apply at 40°F to 100°F • Exceeds ASTM D-2564, D-2846, D-2235, F-493 standards • 1/4 Pint (4 oz.) & 1/2 Pint (8 oz.) up to 6" pipe • Pint (16 oz.) & Quart (32 oz.) up to 12" pipe Item # Description Price	_
Apply at 40°F to NSF & UPC Liste For PVC pipe & fi For Sch. 40 & Sci conduit, drain was Item # 84-258	100°F d titings up to 12" in diar h. 80 potable water pro ste & vent pipes <u>Description</u> 1/4 Pint (4 oz.)	essure pipe, gas, <i>Price 1 Price 2</i> 6.81 5.99	for use in joining ABS to PVC in non-pressure transition joints • All schedules up to 6" diameter pipe and fittings	 For ÅBS, PVC and CPVC Apply at 40°F to 100°F Exceeds ASTM D-2564, D-2846, D-2235, F-493 standards 1/4 Pint (4 oz.) & 1/2 Pint (8 oz.) up to 6" pipe Pint (16 oz.) & Quart (32 oz.) up to 12" pipe Item # Description Price 84-215 1/4 Pint (4 oz.) 7.01 	3 6. 1
Apply at 40°F to NSF & UPC Liste For PVC pipe & fi For Sch. 40 & Sci conduit, drain was Item # 84-258 84-259	100°F d titings up to 12" in diar h. 80 potable water pro- ste & vent pipes <u>Description</u> 1/4 Pint (4 oz.) 1/2 Pint (8 oz.)	Price 1 Price 2 6.81 5.99 11.35 9.99	for use in joining ABS to PVC in non-pressure transition joints • All schedules up to 6" diameter pipe and fittings • Apply at 40°F to 100°F	 For ÅBS, PVC and CPVC Apply at 40°F to 100°F Exceeds ASTM D-2564, D-2846, D-2235, F-493 standards 1/4 Pint (4 oz.) & 1/2 Pint (8 oz.) up to 6" pipe Pint (16 oz.) & Quart (32 oz.) up to 12" pipe Item # Description Price 84-215 1/4 Pint (4 oz.) 7.03 84-200 1/2 Pint (8 oz.) 11.33 	3 6.1 5 9.9
Apply at 40°F to NSF & UPC Liste For PVC pipe & fi For Sch. 40 & Sci conduit, drain was Item # 84-258	100°F d titings up to 12" in diar h. 80 potable water pro ste & vent pipes <u>Description</u> 1/4 Pint (4 oz.)	essure pipe, gas, <i>Price 1 Price 2</i> 6.81 5.99	for use in joining ABS to PVC in non-pressure transition joints • All schedules up to 6" diameter pipe and fittings	 For ÅBS, PVC and CPVC Apply at 40°F to 100°F Exceeds ASTM D-2564, D-2846, D-2235, F-493 standards 1/4 Pint (4 oz.) & 1/2 Pint (8 oz.) up to 6" pipe Pint (16 oz.) & Quart (32 oz.) up to 12" pipe Item # Description Price 84-215 1/4 Pint (4 oz.) 7.03 84-200 1/2 Pint (8 oz.) 11.33 84-201 Pint (16 oz.) 22.34 	3 6.1 5 9.9 8 19.6
 Apply at 40°F to NSF & UPC Liste For PVC pipe & fi For Sch. 40 & Sc conduit, drain was Item # 84-258 84-259 84-213 84-214 	100°F d titings up to 12" in diar h. 80 potable water pro- ste & vent pipes <u>Description</u> 1/4 Pint (4 oz.) 1/2 Pint (8 oz.) Pint (16 oz.) Quart (32 oz.)	Price 1 Price 2 6.81 5.99 11.35 9.99 14.76 12.99	for use in joining ABS to PVC in non-pressure transition joints • All schedules up to 6" diameter pipe and fittings • Apply at 40°F to 100°F Item # Description 84-265 Pint (16 oz.)	• For ÅBS, PVC and CPVC • Apply at 40°F to 100°F • Exceeds ASTM D-2564, D-2846, D-2235, F-493 standards • 1/4 Pint (4 oz.) & 1/2 Pint (8 oz.) up to 6" pipe • Pint (16 oz.) & Quart (32 oz.) up to 12" pipe Item # Description Price 1 Price 2 18.51 16.29	3 6.1 5 9.9 8 19.6
Apply at 40°F to NSF & UPC Liste For PVC pipe & fi For Sch. 40 & Sc conduit, drain was Item # 84-258 84-259 84-213 84-214 YELLOW LAI	100°F d ittings up to 12" in diar h. 80 potable water pro- ste & vent pipes <u>Description</u> 1/4 Pint (4 oz.) 1/2 Pint (8 oz.) Pint (16 oz.) Quart (32 oz.) BEL	Price 1 Price 2 6.81 5.99 11.35 9.99 14.76 12.99	for use in joining ABS to PVC in non-pressure transition joints • All schedules up to 6" diameter pipe and fittings • Apply at 40°F to 100°F Item # Description 84-265 Pint (16 oz.) BLUE LABEL	 For ÅBS, PVC and CPVC Apply at 40°F to 100°F Exceeds ASTM D-2564, D-2846, D-2235, F-493 standards 1/4 Pint (4 oz.) & 1/2 Pint (8 oz.) up to 6" pipe Pint (16 oz.) & Quart (32 oz.) up to 12" pipe Item # Description Price 84-215 1/4 Pint (4 oz.) 7.03 84-200 1/2 Pint (8 oz.) 11.33 84-201 Pint (16 oz.) 22.34 	3 6.1 5 9.9 8 19.6
 Apply at 40°F to NSF & UPC Liste For PVC pipe & fi For Sch. 40 & Sci conduit, drain was Item # 84-258 84-259 84-213 84-214 	100°F d ittings up to 12" in diar h. 80 potable water pro- ste & vent pipes <u>Description</u> 1/4 Pint (4 oz.) 1/2 Pint (8 oz.) Pint (16 oz.) Quart (32 oz.) BEL	Price 1 Price 2 6.81 5.99 11.35 9.99 14.76 12.99	for use in joining ABS to PVC in non-pressure transition joints • All schedules up to 6" diameter pipe and fittings • Apply at 40°F to 100°F Item # Description 84-265 Pint (16 oz.)	• For ÅBS, PVC and CPVC • Apply at 40°F to 100°F • Exceeds ASTM D-2564, D-2846, D-2235, F-493 standards • 1/4 Pint (4 oz.) & 1/2 Pint (8 oz.) up to 6" pipe • Pint (16 oz.) & Quart (32 oz.) up to 12" pipe Item # Description Price 1 Price 2 18.51 16.29	3 6.1 5 9.9 8 19.6
Apply at 40°F to NSF & UPC Liste For PVC pipe & fi For Sch. 40 & Sci conduit, drain war Item # 84-258 84-259 84-213 84-214 YELLOW LAI	100°F d ittings up to 12" in diar h. 80 potable water pro- ste & vent pipes <u>Description</u> 1/4 Pint (4 oz.) 1/2 Pint (8 oz.) Pint (16 oz.) Quart (32 oz.) BEL	Price 1 Price 2 6.81 5.99 11.35 9.99 14.76 12.99	for use in joining ABS to PVC in non-pressure transition joints • All schedules up to 6" diameter pipe and fittings • Apply at 40°F to 100°F Item # Description 84-265 Pint (16 oz.) BLUE LABEL ABS CEMENT	• For ÅBS, PVC and CPVC • Apply at 40°F to 100°F • Exceeds ASTM D-2564, D-2846, D-2235, F-493 standards • 1/4 Pint (4 oz.) & 1/2 Pint (8 oz.) up to 6" pipe • Pint (16 oz.) & Quart (32 oz.) up to 12" pipe Item # Description Price 1 Price 2 18.51 16.29 BLUE MONSTER Image: Price 1 BLUE MONSTER	3 6.1 5 9.9 8 19.6
Apply at 40°F to NSF & UPC Liste For PVC pipe & fi For Sch. 40 & Sci conduit, drain war Item # 84-258 84-259 84-213 84-214 YELLOW LAI	100°F d ittings up to 12" in diar h. 80 potable water pro- ste & vent pipes <u>Description</u> 1/4 Pint (4 oz.) 1/2 Pint (8 oz.) Pint (16 oz.) Quart (32 oz.) BEL	Price 1 Price 2 6.81 5.99 11.35 9.99 14.76 12.99	for use in joining ABS to PVC in non-pressure transition joints • All schedules up to 6" diameter pipe and fittings • Apply at 40°F to 100°F Item # Description 84-265 Pint (16 oz.) BLUE LABEL ABS CEMENT	• For ÅBS, PVC and CPVC • Apply at 40°F to 100°F • Exceeds ASTM D-2564, D-2846, D-2235, F-493 standards • 1/4 Pint (4 oz.) & 1/2 Pint (8 oz.) up to 6" pipe • Pint (16 oz.) & Quart (32 oz.) up to 12" pipe Item # Description Price 1 Price 2 18.51 16.29 BLUE MONSTER BLUE MONSTER	3 6.1 5 9.9 8 19.6
Apply at 40°F to NSF & UPC Liste For PVC pipe & fi For Sch. 40 & Sc conduit, drain was Item # 84-258 84-259 84-213 84-214 YELLOW LAI	100°F d ittings up to 12" in diar h. 80 potable water pro- ste & vent pipes <u>Description</u> 1/4 Pint (4 oz.) 1/2 Pint (8 oz.) Pint (16 oz.) Quart (32 oz.) BEL	Price 1 Price 2 6.81 5.99 11.35 9.99 14.76 12.99	for use in joining ABS to PVC in non-pressure transition joints • All schedules up to 6" diameter pipe and fittings • Apply at 40°F to 100°F Item # Description 84-265 Pint (16 oz.) BLUE LABEL ABS CEMENT	• For ÅBS, PVC and CPVC • Apply at 40°F to 100°F • Exceeds ASTM D-2564, D-2846, D-2235, F-493 standards • 1/4 Pint (4 oz.) & 1/2 Pint (8 oz.) up to 6" pipe • Pint (16 oz.) & Quart (32 oz.) up to 12" pipe Item # Description Price 1 Price 2 18.51 16.29 BLUE MONSTER BLUE MONSTER BLUE MONSTER	3 6.1 5 9.9 8 19.6
Apply at 40°F to NSF & UPC Liste For PVC pipe & fi For Sch. 40 & Sci conduit, drain was Item # 84-258 84-259 84-213 84-214 YELLOW LAI CPVC CEM	100°F d ittings up to 12" in diar h. 80 potable water pro- ste & vent pipes <u>Description</u> 1/4 Pint (4 oz.) 1/2 Pint (8 oz.) Pint (16 oz.) Quart (32 oz.) BEL	Price 1 Price 2 6.81 5.99 11.35 9.99 14.76 12.99	for use in joining ABS to PVC in non-pressure transition joints • All schedules up to 6" diameter pipe and fittings • Apply at 40°F to 100°F Item # Description 84-265 Pint (16 oz.) BLUE LABEL ABS CEMENT • Black • For ABS pipe and fittings up to 6"		3 6.1 5 9.9 8 19.6 7 27.6
Apply at 40°F to NSF & UPC Liste For PVC pipe & fi For Sch. 40 & Sci conduit, drain was Item # 84-258 84-259 84-213 84-214 YELLOW LAI CPVC CEM • NSF listed	100°F ad ittings up to 12" in diar h. 80 potable water pro- ste & vent pipes Description 1/4 Pint (4 oz.) 1/2 Pint (8 oz.) Pint (16 oz.) Quart (32 oz.) BEL IENT	Price 1 Price 2 6.81 5.99 11.35 9.99 14.76 12.99	for use in joining ABS to PVC in non-pressure transition joints • All schedules up to 6" diameter pipe and fittings • Apply at 40°F to 100°F Item # Description 84-265 Pint (16 oz.) BLUE LABEL ABS CEMENT • Black • For ABS pipe and fittings up to 6" • For all non-pressure applications	For ABS, PVC and CPVC Apply at 40°F to 100°F Exceeds ASTM D-2564, D-2846, D-2235, F-493 standards 1/4 Pint (4 oz.) & 1/2 Pint (8 oz.) up to 6" pipe Pint (16 oz.) & Quart (32 oz.) up to 12" pipe Image: Price 1 18.51 16.29 BLUE MONSTER WEATHERPROOF BLUE MONSTER WEATHERPROOF BLUE MONSTER BLUE MONSTER VEATHERPROOF BLUE MONSTER BLUE MONSTER VEATHERPROOF BLUE MONSTER VEATHERPROOF BLUE MONSTER VEATHERPROOF BLUE MONSTER VEATHERPROOF Self priming, requires no additional priming	3 6.1 5 9.9 8 19.6 7 27.6
Apply at 40°F to NSF & UPC Liste For PVC pipe & fi For Sch. 40 & Sci conduit, drain was Item # 84-258 84-259 84-213 84-214 YELLOW LAI CPVC CEM One step — no p Faster cure time	100°F ad ittings up to 12" in diar h. 80 potable water pro- ste & vent pipes <u>Description</u> 1/4 Pint (4 oz.) 1/2 Pint (8 oz.) Pint (16 oz.) Quart (32 oz.) BEL IENT	Price 1 Price 2 6.81 5.99 11.35 9.99 14.76 12.99	for use in joining ABS to PVC in non-pressure transition joints • All schedules up to 6" diameter pipe and fittings • Apply at 40°F to 100°F Item # Description 84-265 Pint (16 oz.) BLUE LABEL ABS CEMENT • Black • For ABS pipe and fittings up to 6" • For all non-pressure applications • Exceeds ASTM D-2235 • Apply at 40°F to 90°F	 For ÅBS, PVC and CPVC Apply at 40°F to 100°F Exceeds ASTM D-2564, D-2846, D-2235, F-493 standards 1/4 Pint (4 oz.) & 1/2 Pint (8 oz.) up to 6" pipe Pint (16 oz.) & Quart (32 oz.) up to 12" pipe Item # Description Price 84-200 1/2 Pint (8 oz.) 11.33 84-201 Pint (16 oz.) 22.33 84-245 Quart (32 oz.) 31.4 BLUE MONSTER BLUE MONSTER BLUE MONSTER BLUE MONSTER Set Antipication of PVC cement is self priming, requires no additional priming 1 step joining process simplifies installations Use on all classes of rigid and 	3 6.1 5 9.9 8 19.6 7 27.6
Apply at 40°F to NSF & UPC Liste For PVC pipe & fi For Sch. 40 & Sci conduit, drain was Item # 84-258 84-259 84-213 84-214 YELLOW LAI CPVC CEM NSF listed One step — no p Faster cure time Reduced installat	100°F ad ittings up to 12" in diar h. 80 potable water pro- ste & vent pipes Description 1/4 Pint (4 oz.) 1/2 Pint (8 oz.) Pint (16 oz.) Quart (32 oz.) BEL IENT rimer required ion time	Price 1 Price 2 6.81 5.99 11.35 9.99 14.76 12.99	for use in joining ABS to PVC in non-pressure transition joints • All schedules up to 6" diameter pipe and fittings • Apply at 40°F to 100°F Item # Description 84-265 Pint (16 oz.) BLUE LABEL ABS CEMENT • Black • For ABS pipe and fittings up to 6" • For all non-pressure applications • Exceeds ASTM D-2235 • Apply at 40°F to 90°F • NSF & UPC Listed	 For ÅBS, PVC and CPVC Apply at 40°F to 100°F Exceeds ASTM D-2564, D-2846, D-2235, F-493 standards 1/4 Pint (4 oz.) & 1/2 Pint (8 oz.) up to 6" pipe Pint (16 oz.) & Quart (32 oz.) up to 12" pipe Item # Description Price 84-215 1/4 Pint (4 oz.) 7.0 84-200 1/2 Pint (8 oz.) 11.3 84-201 Pint (16 oz.) 22.3 84-245 Quart (32 oz.) 31.4 BLUE MONSTER 9 Joining process simplifies installations Use on all classes of rigid and fexible PVC pressure pipe 	3 6.1 5 9.9 8 19.6 7 27.6
Apply at 40°F to NSF & UPC Liste For PVC pipe & fi For Sch. 40 & Sc conduit, drain was Item# 84-258 84-259 84-213 84-214 YELLOW LAI CPVC CEM One step — no p Faster cure time Reduced installat Exceeds environn	100°F ad ittings up to 12" in diar h. 80 potable water pro- ste & vent pipes Description 1/4 Pint (4 oz.) 1/2 Pint (8 oz.) Pint (16 oz.) Quart (32 oz.) BEL IENT rimer required ion time mental requirements	essure pipe, gas, Price 1 Price 2 6.81 5.99 11.35 9.99 14.76 12.99 30.67 26.99	for use in joining ABS to PVC in non-pressure transition joints • All schedules up to 6" diameter pipe and fittings • Apply at 40°F to 100°F Item # Description 84-265 Pint (16 oz.) BLUE LABEL ABS CEMENT • Black • For ABS pipe and fittings up to 6" • For all non-pressure applications • Exceeds ASTM D-2235 • Apply at 40°F to 90°F • NSF & UPC Listed • All types and grades of ABS pipe and fitting	 For ÅBS, PVC and CPVC Apply at 40°F to 100°F Exceeds ASTM D-2564, D-2846, D-2235, F-493 standards 1/4 Pint (4 oz.) & 1/2 Pint (8 oz.) up to 6" pipe Pint (16 oz.) & Quart (32 oz.) up to 12" pipe Item # Description Price 84-215 1/4 Pint (4 oz.) 7.03 84-200 1/2 Pint (8 oz.) 11.33 84-201 Pint (16 oz.) 22.33 84-245 Quart (32 oz.) 31.43 BLUE MONSTER BLUE MONSTER BLUE MONSTER BLUE MONSTER Sefor DWV Pings for DWV	3 6.1 5 9.9 8 19.6 7 27.6
Apply at 40°F to NSF & UPC Liste For PVC pipe & fi For Sch. 40 & Sc conduit, drain was Item# 84-258 84-259 84-213 84-214 YELLOW LAI CPVC CEM One step — no p Faster cure time Reduced installat Exceeds environr Item#	100°F ad ittings up to 12" in diar h. 80 potable water pro- ste & vent pipes Description 1/4 Pint (4 oz.) 1/2 Pint (8 oz.) Pint (16 oz.) Quart (32 oz.) BEL IENT rimer required ion time mental requirements Description	essure pipe, gas, Price 1 Price 2 6.81 5.99 11.35 9.99 14.76 12.99 30.67 26.99 30.67 26.99 Price 1 Price 2	for use in joining ABS to PVC in non-pressure transition joints • All schedules up to 6" diameter pipe and fittings • Apply at 40°F to 100°F Item # Description 84-265 Pint (16 oz.) BLUE LABEL ABS CEMENT • Black • For ABS pipe and fittings up to 6" • For all non-pressure applications • Exceeds ASTM D-2235 • Apply at 40°F to 90°F • NSF & UPC Listed • All types and grades of ABS pipe and fittir Item # Description	 For ÅBS, PVC and CPVC Apply at 40°F to 100°F Exceeds ASTM D-2564, D-2846, D-2235, F-493 standards 1/4 Pint (4 oz.) & 1/2 Pint (8 oz.) up to 6" pipe Pint (16 oz.) & Quart (32 oz.) up to 12" pipe Item # Description Price 84-200 1/2 Pint (8 oz.) 11.33 84-201 Pint (16 oz.) 22.33 84-245 Quart (32 oz.) 31.4 BLUE MONSTER B	3 6.1 5 9.9 8 19.6 7 27.6 Clear
Apply at 40°F to NSF & UPC Liste For PVC pipe & fi For Sch. 40 & Sci conduit, drain was Item # 84-258 84-259 84-213 84-214 YELLOW LAI CPVC CEM NSF listed One step — no p Faster cure time Reduced installat Exceeds environr Item # 84-260	100°F ad ittings up to 12" in diar h. 80 potable water pro- ste & vent pipes Description 1/4 Pint (4 oz.) 1/2 Pint (8 oz.) Pint (16 oz.) Quart (32 oz.) BEL IENT rimer required ion time mental requirements	essure pipe, gas, Price 1 Price 2 6.81 5.99 11.35 9.99 14.76 12.99 30.67 26.99	for use in joining ABS to PVC in non-pressure transition joints • All schedules up to 6" diameter pipe and fittings • Apply at 40°F to 100°F Item # Description 84-265 Pint (16 oz.) BLUE LABEL ABS CEMENT • Black • For ABS pipe and fittings up to 6" • For all non-pressure applications • Exceeds ASTM D-2235 • Apply at 40°F to 90°F • NSF & UPC Listed • All types and grades of ABS pipe and fitting	 For ÅBS, PVC and CPVC Apply at 40°F to 100°F Exceeds ASTM D-2564, D-2846, D-2235, F-493 standards 1/4 Pint (4 oz.) & 1/2 Pint (8 oz.) up to 6" pipe Pint (16 oz.) & Quart (32 oz.) up to 12" pipe Item # Description Price 84-200 1/2 Pint (8 oz.) 11.33 84-201 Pint (16 oz.) 22.33 84-201 Pint (16 oz.) 22.33 84-245 Quart (32 oz.) 31.43 BLUE MONSTER BLUE MONSTER	5 9.9 8 19.6 7 27.6
 Apply at 40°F to NSF & UPC Liste For PVC pipe & fi For Sch. 40 & Sci conduit, drain was Item # 84-258 84-259 84-213 84-214 YELLOW LAI CPVC CEM One step — no p Faster cure time Reduced installat Exceeds environ Item # 84-260 	100°F ad ittings up to 12" in diar h. 80 potable water pro- ste & vent pipes Description 1/4 Pint (4 oz.) 1/2 Pint (8 oz.) Pint (16 oz.) Quart (32 oz.) BEL ENT Finter required ion time mental requirements Description 1/4 Pint (4 oz.) 1/2 Pint (8 oz.)	Price 1 Price 2 6.81 5.99 11.35 9.99 14.76 12.99 30.67 26.99	for use in joining ABS to PVC in non-pressure transition joints • All schedules up to 6" diameter pipe and fittings • Apply at 40°F to 100°F Item # Description 84-265 Pint (16 oz.) BLUE LABEL ABS CEMENT • Black • For ABS pipe and fittings up to 6" • For all non-pressure applications • Exceeds ASTM D-2235 • Apply at 40°F to 90°F • NSF & UPC Listed • All types and grades of ABS pipe and fittin Item # Description 84-205 1/2 Pint (8 oz.) 84-206 Pint (16 oz.)	 For ÅBS, PVC and CPVC Apply at 40°F to 100°F Exceeds ASTM D-2564, D-2846, D-2235, F-493 standards 1/4 Pint (4 oz.) & 1/2 Pint (8 oz.) up to 6" pipe Pint (16 oz.) & Quart (32 oz.) up to 12" pipe Item # Description Price 84-201 Pint (4 oz.) 11.33 84-201 Pint (16 oz.) 22.33 84-201 Pint (16 oz.) 22.33 84-245 Quart (32 oz.) and the second standard sec	3 6.1 5 9.9 8 19.6 7 27.6 7 27.6 Clear
 Apply at 40°F to NSF & UPC Liste For PVC pipe & fi For Sch. 40 & Sci conduit, drain was Item # 84-258 84-259 84-213 84-214 YELLOW LAI CPVC CEM One step — no p Faster cure time Reduced installat Exceeds environ Item # 84-260 	100°F ad ittings up to 12" in diar h. 80 potable water pro- ste & vent pipes Description 1/4 Pint (4 oz.) 1/2 Pint (8 oz.) Pint (16 oz.) Quart (32 oz.) BEL ENT rimer required ion time mental requirements Description 1/4 Pint (4 oz.) 1/2 Pint (8 oz.) Phone: 1-80	Price 1 Price 2 6.81 5.99 11.35 9.99 14.76 12.99 30.67 26.99	for use in joining ABS to PVC in non-pressure transition joints • All schedules up to 6" diameter pipe and fittings • Apply at 40°F to 100°F Item # Description 84-265 Pint (16 oz.) BLUE LABEL ABS CEMENT • Black • For ABS pipe and fittings up to 6" • For all non-pressure applications • Exceeds ASTM D-2235 • Apply at 40°F to 90°F • NSF & UPC Listed • All types and grades of ABS pipe and fittin Item # Description 84-205 1/2 Pint (8 oz.) 84-206 Pint (16 oz.)	 For ÅBS, PVC and CPVC Apply at 40°F to 100°F Exceeds ASTM D-2564, D-2846, D-2235, F-493 standards 1/4 Pint (4 oz.) & 1/2 Pint (8 oz.) up to 6" pipe Pint (16 oz.) & Quart (32 oz.) up to 12" pipe Item # Description Price 84-200 1/2 Pint (8 oz.) 11.33 84-201 Pint (16 oz.) 22.33 84-201 Pint (16 oz.) 22.33 84-245 Quart (32 oz.) 31.44 BLUE MONSTER BLUE MONSTER	3 6.1 5 9.9 8 19.6 7 27.6 7 27.6 Clear

COMPOUNDS




		UTILITY & HVAC
SCRUBS IN-A-BUCKET TM HAND CLEANING TOWELS	BLUE MONSTER CITRUS SCRUBBING TOWELS	DISPOSABLE CHIP BRUSH
SCRUBS	BLUE	
 Provides fast, easy and effective hand cleaning with portability Cleans the toughest soils, greases, tar, graphite, glue etc. 	• 75 pre-moistened	Great for one time jobs SOLD IN BOX QTY ONLY Item # Description Pkg Qty Price 1 Price 2
No rinsing, no drying, no residue Item # Description Price 1 Price 2 80-145 72 Scrubs In-A-Bucket 31.81 27.99	Item # Description Price 1 Price 2 82-115 10" x 12" Towels 22.72 19.99	90-030 1" Chip Brush 12 1.01 .89 90-028 2" Chip Brush 12 1.13 .99
	METAL HANDLE ACID & DOPE BRUSH 3/8" BRUSH	WOOD HANDLE LARGE ACID & DOPE BRUSH 3/4" BRUSH
Ham the Description Dring 1 Dring 2	Priced per each SOLD IN BOX QTY ONLY Item # Description Pkg Qty Price 1 Price 2 80-290 3/8" Brush 12 .23 .20	Priced per each SOLD 12 PER PACKAGE ONLY Item # Description Price 1 Price 2
Item # Description Price 1 Price 2 25-101 Candle Wicking 4.49 3.95	80-290 3/8" Brush 12 .23 .20 80-291 3/8" Brush 144 .28 .25	Item # Description Price 1 Price 2 80-292 Acid & Dope Brush 1.13 .99
GRAPHITE PACKING	TUB & TILE ADHESIVE CAULK GUARANTEED MILDEW PROOF HERCULES For sealing around tubs, showers, sinks and all bathroom fixtures. Resets tile, fills cracks and joints. Seals around windows and doors and in places where a smooth, watertight, mildewproof seal is required. Stays flexible. Free of cracks and mildew. Cleans up with soap and water.	COTTON SWABS FOR CLOSET BOWLS
For use on valve stems, steam, air, oil etc. Made of carefully selected long strand asbestos fibre thoroughly saturated with oil and graphite Item # Description Price 1 Price 2	STAYS 5.5 OZ. TUBE FLEXIBLE SHOWN	For urinals and toilet bowls Plastic handle SOLD 5 PER PACKAGE ONLY Item # Description Price 1 Price 2
Item # Description Price 7 Price 2 25-125 8' - 1/4" x 1/4 Lb. Spool 11.13 9.79	PLUMBERS CAULK	Ren # Description Price 7 Price 2 80-295 Closet Bowl Swabs 2.56 2.25
Oatey clear silicone sealant	Ideal for use on: hardwood, soft wood, masonry, aluminum, ceramic tile, plastic foam, fiberglass, cork, cork tile, glass, metal cement, plastic laminate. Keep out of reach of children. Not for internal consumption. Product may be toxic to tropical fish.	DAUBER
Clear silicone sealant 100% flexible silicone Bonds to ceramic, marble, glass, fiberglass,	Item # Description Price 1 Price 2 Squeeze Tubes Solution Solution <t< td=""><td>649</td></t<>	649
Item # Description Price 1 Price 2 80-525 Clear 10.1 oz. 10.22 8.99	80-512 5.5 oz.Translucent Tube 7.90 6.95 Cartridge 80-516 10 oz. Almond Cartridge 10.17 8.95 80-517 10 oz. Translucent Cartridge 11.31 9.95	Item # Description Price 1 Price 2 80-294 1-1/2" up to 3" Pipe Diameter .85 .75
Price 1 Price 2 Order Less Than \$500 Order \$500 or	HODES CO	Phone: 1-800-777-6500 Fax: 1-800-982-5934 203 ab: www.HodesCo.com



WREN	ICHES	CHEMICALS Compounds, tools Utility & hvac
For SLOAN FLUSHOMETER SPUD WRENCH	NO-HUB TORQUE WRENCH	For LEONARD NO-HUB TORQUE WRENCH
 Fits Sloan Flushometers For removing the Flushometer tailpiece without damaging the finish or ground joint 	For assembling no-hub soil pipe couplings. Preset 60 inch pound torque. 5/16" hex socket grips securely "clicks" when proper torque has been developed and eliminates guesswork to obtain a leak-proof joint. Handy reversing lever.	18 pt broach For stop stems: Leonard Kit C Item # Description Price 1 Price 2 90-281 T-Handle for Stop Stems 38.58 33.95 CLEANOUT PLUG
Item # Description Price 1 Price 2 65-522 Flushometer Spud Wrench 27.22 23.95	Item # Description Price 1 Price 2 90-307 No-Hub Wrench 11.31 9.95	WRENCH
SOCKET WRENCH SET	BASIN & BATH PLUG TOOL	For cleanout plugs with counter sunk top
		Item # Description Price 1 Price 2 90-318 3/4" - 1" - 1 1/8" - 1 3/8" 13.58 11.95
Seamless steel Eliminates cutting large hole in wall Set of five double end socket wrenches with ten different sizes Expertly designed to fit bath and shower valves in the wall Item # Description Price 1 Price 2	Item # Description Price 1 Price 2	SOCKET STYLE SEAT NUT WRENCH
90-316 Complete Socket Set 9.03 7.95	90-319 Basin and Bath Plug Tool 4.49 3.95	
GENUINE PARTS	SLOAN (A-50)	Fits every kind of nut metal or plastic Item # Description Price 1 Price 2 90-626 Seat Nut Wrench 14.72 12.95
	mand-	For (T-35A) SYMMONS
Delta Bonnet Nut Tool for Integrated Diverter Two sided tool compatible with R11000 & R22000 bonnet Use for removal & servicing <u>Item # Description Price 1 Price 2</u>	Original Sloan tool Fits every connection required Item # Description Price 1 Price 2	
90-088 Delta Bonnet Nut Tool 22.67 19.95 QUICK NUTCRACKER	65-520 Genuine Sloan Wrench 53.41 47.00 SCREW-IN ELEMENT	TEMPTROL Item # Description Price 1 Price 2
FOR USE ON: 1/2" Shank Single Basin Faucet 1/2" Shank Centersets	WRENCH	24-035 Hot/Cold Seat Removal Tool 22.67 19.95 STREET KEY
1/2" Shank Kitchen Faucets The "Quick Nutcracker" is the best tool available to the repair plumber, maintenance and handyman for removing frozen and corroded 1/2" zinc locknuts from deck mounted		SOCKETS
kitchen and bathroom faucets. The "Quick Nutcracker" saves time and money. All the user needs is a 3/8" ratchet, ratchet extension and the "Quick Nutcracker" to make one of the most frustrating repair plumbing jobs quick and simple.		Make your own street keys 5/8" slot 1-3/4" long 1/2" IPS tap
Item # Description Price 1 Price 2 90-305 Nutcracker Tool 56.76 49.95	Item # Description Price 1 Price 2 44-345 Element Wrench 3.35 2.95	Item # Description Price 1 Price 2 90-331 Street Key Socket 22.67 19.95
Price 1 Price 2 Order Less Than \$500 Order \$500 or	HODES CO	Phone: 1-800-777-6500 Fax: 1-800-982-5934 205 abi: www.HodesCo.com

	CHEMICALS Compounds, tools	тос	LS
	UTILITY & HVAC		-
	CLASSIC DRAIN WRENCH TIGHTENS MOST FIBERGLASS SHOWER STALL DRAIN LOCKNUTS AND DIE CAST BASKET STRAINER LOCKNUTS.	<u>THE</u> SINK DRAIN WRENCH™	BASKET STRAINER INSTALLATION WRENCH
	 13" overall length Cushion grip Solid steel construction Fits 3-1/2" plastic locknuts Fits 3-3/8" die cast basket strainer locknuts Fits brass locknuts on Casper's[®], brass shower stall drains Offset handle for close quarter work 	 Fits kitchen, bath and laundry tub basket strainers, "P" traps, wing nuts and tub drains Lifetime Guarantee 	
	Item # Description Price 1 Price 2 90-428 Drain Wrench 28.35 24.95	Item # Description Price 1 Price 2 90-851 The Sink Drain Wrench™ 15.85 13.95	Item # Description Price 1 Price 2 90-448 Wrench 5.40 4.75
	RADIATOR SPUD WRENCH	FOUR WAY VALVE STEM KEY	DRAIN KEY
TOOLS		For stopcocks, sillcocks and valves, used when handles have been removed. Fits 1/4", 9/32", 5/16" and 11/32" square stems. High quality steel, case hardened and zinc plated.	
	Item # Description Price 1 Price 2 90-321 Radiator Spud Wrench 14.72 12.95	Item # Description Price 1 Price 2 90-334 4 Way Key 3.35 2.95	Item # Description Price 1 Price 2 90-313 Drain Key 37.22 32.75
	SEAT GAUGE BOARD	PLUMBERS PAL BASKET STRAINER WRENCH	FAUCET SEAT REMOVAL TOOL HEAVY GRADE HARDENED STEEL
	 4" x 6" size Aluminum 20 different seat gauges 4 different screw gauges 	 Fits all major manufacturers, plastic & brass Fits hex nuts and all 4, 6 and 8 tab locking nuts on strainer drains 	 Hardened steel with a black oxide finish Left hand threads for easy and quick removal, even for stripped out faucet seats
	Item # Description Price 1 Price 2 90-402 Seat Gauge 44.03 38.75	Item #DescriptionPrice 1Price 290-473Basket Strainer Wrench37.2232.75	Item #DescriptionPrice 1Price 290-412Heavy Grade Hardened Steel5.634.95
	FOUR PIECE FAUCET SEAT TOOL SET	FAUCET SEAT REMOVAL TOOL TAPERED	FAUCET SEAT REMOVAL TOOL SIX STEP
	Item # Description Price 1 Price 2 90-403 4 Pc. Faucet Seat Tool 14.72 12.95	TAPERED TO FIT SQUARE, HEX, OR OCTAGONItem #DescriptionPrice 1Price 290-404Faucet Seat Tool3.352.95	STEPPED TO FIT SQUARE & HEX—SIX STEP Item # Description Price 1 Price 2 90-405 Faucet Seat Tool 3.35 2.95
	206 Phone: 1-800-777-650 Fax: 1-800-982-5934 Wab: www.HodesCo.ee	HODESCO	Price 1 Price 2 Less Than \$500 Order \$500 or More









TOOLS

CUTTERS

Order Less Than \$500

Order \$500 or More



Ľ,

211

Web: www.HodesCo.com



CHEMICALS COMPOUNDS, TOOLS UTILITY & HVAC				
HACKMASTER R [®] REPLACEMENT SAW BLADES	HACKMASTER R [®] REPLACEMENT SAW BLADES			
Item # Ref No. Size Use Price 1 Price	Item # Ref No. Size Use Price 1 Price 2 99-108 (610R) 6" x 10T Wood\Metal\Plastic 4.42 3.89			
HACKMASTER R [®] REPLACEMENT SAW BLADES	HACKMASTER R [®] REPLACEMENT SAW BLADES			
	- SI I ENOX			
Item # Ref No. Size Use Price 1 Price	19 Item # Ref No. Size Use Price 1 Price 2			
HACKMASTER R [®] REPLACEMENT SAW BLADES	HACKMASTER R [®] REPLACEMENT SAW BLADES			
Item # Ref No. Size Use Price 1 Price	49 92-166 (960R) 9" x 10T Metal Demo 7.38 6.49			
92-160 (118R) 12" x 18T Metal 7.60 6. HACKMASTER R® REPLACEMENT SAW BLADES	69 92-163 (9514R) 9" x 14T Metal Demo - Heavy Duty 6.69 5.89 HACKMASTER R® REPLACEMENT SAW BLADES			
Item # Ref No. Size Use Price 1 Price	92			
92-170 (650R) 6" x 10/14T Metal - General Purpose - Heavy Duty 5.56 4. 92-118 (110R) 12" x 10/14T General Purpose 8.51 7. TINY TIM HACKSAW	49 92-169 (800R) 8" x GRIT Carbide Grit - Multi-Use 12.38 10.89 HACKSAW BLADES			
CUTS WOOD, PLASTER, STEEL, BRASS, ETC.				
Vinyl grip handle Item # Description Price 1 Price 2 Hacksaw with 1/4" x 6" x 32"	cription Price 1 Price 2 Item # Description Price 1 Price 2			
	uarter Saw 21.31 18.75 92-123 Lenox 12" - 24T Blade 2.84 2.50 teplacement Blade 1.99 1.75 92-120 12" x 18T - (1218R) 3.13 2.75			
212 Fax: 1-800-982-5934	DESCO PLUMBING PARTS Price 1 Price 2 Order Less Than \$500 Order \$500 or More			

PLUGS

CHEMICALS Compounds, tools Utility & hvac

PLUGS

C		UTILITY & HVAC
FLUSH	ECONO TEST PLUG 🛛 🕋	TEST TITAN™ (882-1)
CLEANOUT		Sioux (882-2)
BUSHING		Chief (882-3)
WITH PLUG	and the second s	100% corrosion resistant (882-35)
		• 4 piece simple design (882-4)
	Galvanized bolt & wing nut	Top plate, wing nut, and bottom plate/bolt made of nylon 66
1 1 1	Galvanized bot & wing nut Galvanized steel flanges with	Gasket is flexible PVC
and the second se	molded rubber gaskets	Leak free seal at 7 times the
	For capping low or no pressure pipes 10 PER BOX	PSI of ordinary plugs 10 PER BOX
	Item # Description Price 1 Price 2	Item # Description Price 1 Price 2
Fits inside Schedule 40 PVC Pipe	90-566 1-1/2" 2.26 1.99	70-930 1-1/2 " 3.97 3.49
Item # Description Price 1 Price 2	90-567 2" 3.17 2.79	70-931 2" 4.88 4.29
70-367 2" Cleanout Bushing w/Plug 5.10 4.49	90-568 3" 4.53 3.99	70-932 3" 5.67 4.99
70-368 3" Cleanout Bushing W/Plug 6.58 5.79		
70-369 4" Cleanout Bushing w/Plug 7.94 6.99		
[10-303] 4 Cleanout Bushing W/Plug 1.34 0.38	90-588 5" 13.63 11.99	70-933 4 " 7.15 6.29
REAL-TITE®		
PLUG G()	EXPANSION	PLUG -
	SLEEVE	
		12 GA stainless steel cover Hard ABS Plastic body
		Hard ABS Plastic body Neoprene gasket
		Fully threaded CS stop bolt & square nut
Item # Description Price 1 Price 2		Item # Description Price 1 Price 2
70-325 1-1/2" 16.99 14.95		70-015 1-1/2" 39.72 34.95
70-327 2" 17.61 15.50	• Fits over Real-tite [®] plug to	70-016 2" 41.99 36.95
	seal irregular sized openings	
70-330 3" 25.57 22.50	Item # Description Price 1 Price 2	70-018 3" 51.08 44.95
70-331 3-1/2 " 26.08 22.95	70-354 3-1/2 " (Fits over 3") 17.33 15.25	70-019 3-1/2 " 55.63 48.95
70-332 4" 27.22 23.95	70-356 4 " (Fits over 3-1/2") 17.33 15.25	70-020 4 " 56.76 49.95
TEST-TITE	T-CONE	T-CONE
MECHANICAL CLEANOUT REPAIR PLUG	CLEAN OUT PLUG	DWV PLUG
	CLEAN OUT PLUG	DWV PLUG
	CLEAN OUT PLUG	DWV PLUG FOR SCHEDULE 40
	CLEAN OUT PLUG FOR IPS	• Raised head
	CLEAN OUT PLUG	DWV PLUG FOR SCHEDULE 40
	CLEAN OUT PLUG FOR IPS Raised head Reuseable	 DWV PLUG FOR SCHEDULE 40 • Raised head • Reuseable
	 CLEAN OUT PLUG FOR IPS Raised head Reuseable For IPS thread Item # Description Price 1 Price 2 	DWV PLUG FOR SCHEDULE 40 • Raised head • Reuseable • For schedule 40 Item # Description Price 1 Price 2
REPAIR PLUG	CLEAN OUT PLUG FOR IPS • Raised head • Reuseable • For IPS thread <u>Item # Description Price 1 Price 2</u> 70-290 1-1/2" 6.53 5.75	DWV PLUG FOR SCHEDULE 40 • Raised head • Reuseable • For schedule 40 Item # Description Price 1 Price 2 70-297 1-1/4"
REPAIR PLUG Item # Description Price 1 Price 2	CLEAN OUT PLUG FOR IPS • Raised head • Reuseable • For IPS thread Item # Description Price 1 Price 2 70-290 1-1/2" 6.53 5.75 70-291 2" 6.76 5.95	DWV PLUG FOR SCHEDULE 40 • Raised head • Reuseable • For schedule 40 Item # Description Price 1 Price 2 70-297 1-1/4" 4.49 3.95 70-289 1-1/2" 6.76 5.95
REPAIR PLUG	Image: CLEAN OUT PLUG FOR IPS • Raised head • Reuseable • For IPS thread Item # Description Price 1 Price 2 70-290 1-1/2" 6.53 5.75 70-291 2" 6.76 5.95 70-292 3" 10.17 8.95	DWV PLUG FOR SCHEDULE 40 • Raised head • Reuseable • For schedule 40 Item # Description Price 1 Price 2 70-297 1-1/4" 4.49 3.95 70-289 1-1/2" 6.76 5.95 70-288 2 " 6.76 5.95
REPAIR PLUG Image: Colspan="2">REPAIR PLUG Image: Colspan="2">Image: Colspan="2" Image: Colspa=""Colspan="" Image: Colspan="" Image: Colspan="2" Ima	Image: Clear of the sector of the s	DWV PLUG FOR SCHEDULE 40 • Raised head • Reuseable • For schedule 40 Item # Description Price 1 Price 2 70-297 1-1/4" 4.49 3.95 70-289 1-1/2" 6.76 5.95 70-288 2 " 6.76 5.95 70-287 3 " 9.03 7.95
REPAIR PLUG	Image: CLEAN OUT PLUG FOR IPS • Raised head • Reuseable • For IPS thread Item # Description Price 1 Price 2 70-290 1-1/2" 6.53 5.75 70-291 2" 6.76 5.95 70-292 3" 10.17 8.95	DWV PLUG FOR SCHEDULE 40 • Raised head • Reuseable • For schedule 40 Item # Description Price 1 Price 2 70-297 1-1/4" 4.49 3.95 70-289 1-1/2" 6.76 5.95 70-288 2 " 6.76 5.95
REPAIR PLUG Image: Colspan="2">REPAIR PLUG Image: Colspan="2">Image: Colspan="2" Image: Colspa=""Colspan="" Image: Colspan="" Image: Colspan="2" Ima	Image: Clear of the sector of the s	DWV PLUG FOR SCHEDULE 40 • Raised head • Reuseable • For schedule 40 • The schedule 40 Main Mark Main Mark • Raised head • Reuseable • For schedule 40 Main Mark Main Mark Price 1 Price 2 70-297 1-1/2" 6.76 5.95 70-288 2 " 6.76 70-287 3 " 9.03 70-295 4" 12.44 10.95
Image: Network of the system Description Price 1 Price 2 70-590 3" Mech C/O Plug 12.44 10.95 70-591 3-1/2" Mech C/O Plug 15.85 13.95 70-592 4" Mech C/O Plug 18.13 15.95 CLEAN-OUT (270168) (270168)	CLEAN OUT PLUG FOR IPS • Raised head • • Reuseable • • For IPS thread • Item # Description Price 1 70-290 1-1/2" 6.53 5.75 70-291 2" 6.76 5.95 70-292 3" 10.17 8.95 70-293 3-1/2" 12.44 10.95 70-294 4" 14.72 12.95	DWV PLUG FOR SCHEDULE 40 • Raised head • Reuseable • For schedule 40 Item # Description Price 1 Price 2 70-297 1-1/4" 4.49 3.95 70-289 1-1/2" 6.76 5.95 70-288 2 " 6.76 5.95 70-287 3 " 9.03 7.95
Image: Network of the second system Price 1 Price 2 70-590 3" Mech C/O Plug 12.44 10.95 70-591 3-1/2" Mech C/O Plug 15.85 13.95 70-592 4" Mech C/O Plug 18.13 15.95 CLEAN-OUT CLEAN-OUT (270168) (270178) PI LIG COT188 (270138) (270188)	Image: CLEAN OUT PLUG FOR IPS • Raised head • Reuseable • For IPS thread Item # Description Price 1 Price 2 70-290 1-1/2" 6.53 5.75 70-291 2" 6.76 5.95 70-292 3" 10.17 8.95 70-293 3-1/2" 12.44 10.95 70-294 4" 4" 14.72 12.95 EXPANDABLE DOLLAR PLUG Image: Comparison of the second sec	DWV PLUG FOR SCHEDULE 40 • Raised head • Reuseable • For schedule 40 1/2 Price 1 Price 2 70-297 1-1/4" 4.49 3.95 70-289 1-1/2" 6.76 5.95 70-287 3 " 9.03 7.95 70-295 4" 12.44 10.95
REPAIR PLUG Image: Constraint of the system Image: Constraity of the system Ima	CLEAN OUT PLUG FOR IPS • Raised head • Reuseable • For IPS thread <u>Item # Description Price 1 Price 2</u> 70-290 1-1/2" <u>70-290 1-1/2"</u> <u>6.53 5.75</u> <u>70-291 2"</u> <u>6.76 5.95</u> <u>70-293 3-1/2"</u> <u>10.17 8.95</u> <u>70-294 4"</u> <u>14.72 12.95</u>	DWV PLUG FOR SCHEDULE 40 • Raised head • Reuseable • For schedule 40 • The schedule 40 Main Mark Main Mark • Raised head • Reuseable • For schedule 40 Main Mark Main Mark Price 1 Price 2 70-297 1-1/2" 6.76 5.95 70-288 2 " 6.76 70-287 3 " 9.03 70-295 4" 12.44 10.95
Image: Network of the second system Price 1 Price 2 70-590 3" Mech C/O Plug 12.44 10.95 70-591 3-1/2" Mech C/O Plug 15.85 13.95 70-592 4" Mech C/O Plug 18.13 15.95 CLEAN-OUT CLEAN-OUT (270168) (270178) PI LIG COT188 (270138) (270188)	CLEAN OUT PLUG FOR IPS • Raised head • Reuseable • For IPS thread <u>Item # Description Price 1 Price 2</u> 70-290 1-1/2" 70-291 2" 6.76 5.95 70-292 3" 10.17 8.95 70-293 3-1/2" 12.44 10.95 70-294 4" 14.72 12.95	DWV PLUG FOR SCHEDULE 40 • Raised head • Reuseable • For schedule 40 • The schedule 40 Main Mark Main Mark • Raised head • Reuseable • For schedule 40 Main Mark Main Mark Price 1 Price 2 70-297 1-1/2" 6.76 5.95 70-288 2 " 6.76 70-287 3 " 9.03 70-295 4" 12.44 10.95
REPAIR PLUG Image: Constraint of the system Image: Constraity of the system Ima	CLEAN OUT PLUG FOR IPS • Raised head • Reuseable • For IPS thread <u>Item # Description Price 1 Price 2</u> <u>70-290 1-1/2" 6.53 5.755</u> <u>70-291 2" 6.76 5.955</u> <u>70-292 3" 10.17 8.955</u> <u>70-293 3-1/2" 12.44 10.955</u> <u>70-294 4" 14.72 12.955</u> EXPANDABLE DOLLAR PLUG Image: Comparison of the "Gripper"™ uses the mechanical advantage of the inclined planes on the end plates and o-ring. When pressure is	DWV PLUG FOR SCHEDULE 40 • Raised head • Reuseable • For schedule 40 1/2 Price 1 Price 2 70-297 1-1/4" 4.49 3.95 70-289 1-1/2" 6.76 5.95 70-287 3 " 9.03 7.95 70-295 4" 12.44 10.95
REPAIR PLUG Image: Constraint of the system Image: Constraity of the system Ima	CLEAN OUT PLUG FOR IPS • Raised head • Reuseable • For IPS thread <u>Item # Description Price 1 Price 2</u> 70-290 1-1/2" 70-291 2" 6.76 5.95 70-292 3" 10.17 8.95 70-293 3-1/2" 12.44 10.95 70-294 4" 14.72 12.95	DWV PLUG FOR SCHEDULE 40 • Raised head • Reuseable • For schedule 40 1/2 Price 1 Price 2 70-297 1-1/4" 4.49 3.95 70-289 1-1/2" 6.76 5.95 70-287 3 " 9.03 7.95 70-295 4" 12.44 10.95
REPAIR PLUG Image: Constraint of the system Image: Constraity of the system Ima	CLEAN OUT PLUG FOR IPS • Raised head • Reuseable • For IPS thread <u>Item # Description Price 1 Price 2</u> 70-290 1-1/2" 6.53 5.75 70-291 2" 6.76 5.95 70-292 3" 10.17 8.95 70-293 3-1/2" 12.44 10.95 70-294 4" 14.72 12.95 EXPANDABLE DOLLAR PLUG The design of the "Gripper"™ uses the mechanical advantage of the inclined planes on the end plates and o-ring. When pressure is applied to the end plates by tightening the wing nut, the o-ring is effortlessly expanded by moving along the inclined surfaces of the plastic end plates. YOU CAN ACTUALLY	DWV PLUG For SCHEDULE 40 • Raised head • Reuseable • For schedule 40 <u>tem # Description Price 1 Price 2</u> <u>70-297 1-1/4" 4.49 3.95</u> <u>70-289 1-1/2" 6.76 5.95</u> <u>70-287 3 " 9.03 7.95</u> <u>70-287 3 " 9.03 7.95</u> <u>70-295 4" 12.44 10.95</u> INSET TEST PLUG
REPAIR PLUG Image: Constraint of the system Clean-out GRIPPER PLUG Image: Constraint of the system Clean-out GRIPPER Image: Constraint of the system Image: Constraint of the system Image: Constraint of the system Constraint of the system Image: Constraint of the system Constraint of the system Image: Constraint of the system Clean-out Grant Clean-out Grant Constraint of the system Clean-out Grant Clean-out Grant Constraint of the system Constraint of the system Clean-out Grant Constraint of the system Constraint of the system Constraint of the system Constraint of the system Clean-out Grant Constraint of the system Constraint of the system Constraint of the system Clean-out Grant Constraint of the system Constraint of the system Constraint of the system Clean-out Grant Constraint of the system Cons	CLEAN OUT PLUG FOR IPS • Raised head • Reuseable • For IPS thread <u>Item # Description Price 1 Price 2</u> 70-290 1-1/2" 6.53 5.75 70-291 2" 6.76 5.95 70-292 3" 10.17 8.95 70-293 3-1/2" 12.44 10.95 70-294 4" 14.72 12.95 EXPANDABLE DOLLAR PLUG The design of the "Gripper"™ uses the mechanical advantage of the inclined planes on the end plates and o-ring. When pressure is applied to the end plates by tightening the wing nut, the o-ring is effortlessly expanded by moving along the inclined	DWV PLUG For SCHEDULE 40 • Raised head • Reuseable • For schedule 40 <u>tem # Description Price 1 Price 2</u> <u>70-297 1-1/4" 4.49 3.95</u> <u>70-289 1-1/2" 6.76 5.95</u> <u>70-287 3" 9.03 7.95</u> <u>70-287 3" 9.03 7.95</u> <u>70-295 4" 12.44 10.95</u> INSET TEST PLUG
REPAIR PLUG Image: Colspan="2">Image: Colspan="2" Image:	CLEAN OUT PLUG FOR IPS • Raised head • Reuseable • For IPS thread <u>Item # Description Price 1 Price 2</u> <u>70-290 1-1/2" 6.53 5.75</u> <u>70-291 2" 6.76 5.95</u> <u>70-292 3" 10.17 8.95</u> <u>70-293 3-1/2" 12.44 10.95</u> <u>70-294 4" 14.72 12.95</u> EXPANDABLE DOLLAR PLUG Image: Construction of the "Gripper"™ uses the mechanical advantage of the inclined planes on the end plates and o-ring. When pressure is applied to the end plates and o-ring. When pressure is applied to the end plates by tightening the wing nut, the o-ring is effortlessly expanded by moving along the inclined surfaces of the plastic end plates. YOU CAN ACTUALLY FEEL THE SMOOTH, EASY MOVEMENT TAKING PLACE! <u>Item # Description Price 1 Price 2</u>	DWV PLUG FOR SCHEDULE 40 • Raised head • Reuseable • For schedule 40 <u>Item # Description Price 1 Price 2</u> 70-297 1-1/4" 1-1/2" 6.76 70-288 2 " 70-287 3 " 9.03 7.95 70-295 4" 12.44 10.95
REPAIR PLUG Image: Colspan="2">Image: Colspan="2" Image:	CLEAN OUT PLUG FOR IPS • Raised head • Reuseable • For IPS thread <u>Item # Description Price 1 Price 2</u> <u>70-290 1-1/2" 6.53 5.75</u> <u>70-291 2" 6.76 5.95</u> <u>70-292 3" 10.17 8.95</u> <u>70-293 3-1/2" 12.44 10.95</u> <u>70-294 4" 14.72 12.95</u> EXPANDABLE DOLLAR PLUG Image: Construction of the "Gripper"™ uses the mechanical advantage of the inclined planes on the end plates and o-ring. When pressure is applied to the end plates by tightening the wing nut, the o-ring is effortlessly expanded by moving along the inclined surfaces of the plastic end plates. YOU CAN ACTUALLY FEL THE SMOOTH, EASY MOVEMENT TAKING PLACE!	DWV PLUG FOR SCHEDULE 40 • Raised head • Reuseable • For schedule 40 <u>Note of the schedule 40</u>
REPAIR PLUG Image: Colspan="2">Image: Colspan="2" Image:	CLEAN OUT PLUG FOR IPS • Raised head • Reuseable • For IPS thread <u>Item # Description Price 1 Price 2</u> <u>70-290 1-1/2" 6.53 5.75</u> <u>70-291 2" 6.76 5.95</u> <u>70-292 3" 10.17 8.95</u> <u>70-293 3-1/2" 12.44 10.95</u> <u>70-294 4" 14.72 12.95</u> EXPANDABLE DOLLAR PLUG Image: Construction of the "Gripper"™ uses the mechanical advantage of the inclined planes on the end plates and o-ring. When pressure is applied to the end plates and o-ring. When pressure is applied to the end plates by tightening the wing nut, the o-ring is effortlessly expanded by moving along the inclined surfaces of the plastic end plates. YOU CAN ACTUALLY FEEL THE SMOOTH, EASY MOVEMENT TAKING PLACE! <u>Item # Description Price 1 Price 2</u>	DWV PLUG FOR SCHEDULE 40 • Raised head • Reuseable • For schedule 40 <u>İtem # Description Price 1 Price 2</u> <u>70-297 1-1/4" 4.49 3.95</u> <u>70-289 1-1/2" 6.76 5.95</u> <u>70-287 3 " 9.03 7.95</u> <u>70-287 3 " 9.03 7.95</u> <u>70-295 4" 12.44 10.95</u> INSET TEST PLUG • Designed for ABS or PVC Sch 40 DWV pipe • Hinged knockouts prevent center from failling into pipe
REPAIR PLUG Image: Colspan="2">Image: Colspan="2" Image:	CLEAN OUT PLUG FOR IPS• Raised head• Reuseable• For IPS thread $1 \frac{1}{12}$ • Reuseable• For IPS thread $1 \frac{1}{12}$ • C.53 5.75 $70-290$ $1-1/2^{"}$ 6.76 5.95 $70-291$ $2"$ 6.76 5.95 $70-293$ $3-1/2"$ 10.17 8.95 $70-294$ $4"$ 14.72 12.95	DWV PLUG FOR SCHEDULE 40 • Raised head • Reuseable • For schedule 40 <u>Normalized Schedule 40</u> <u></u>
REPAIR PLUG Image: Colspan="2">Image: Colspan="2">Price 1 Price 1 Price 2 10-590 3" Mech C/O Plug 12.44 10.95 10-591 3.1/2" Mech C/O Plug 15.85 13.95 10-592 4" Mech C/O Plug 18.13 15.95 CLEAN-OUT GRIPPER PLUG (270168 (270178) (270188) ***********************************	CLEAN OUT PLUG FOR IPS • Raised head • Reuseable • For IPS thread <u>Item # Description Price 1 Price 2</u> <u>70-290 1-1/2" 6.53 5.755</u> <u>70-291 2" 6.76 5.955</u> <u>70-292 3" 10.17 8.955</u> <u>70-293 3-1/2" 12.44 10.955</u> <u>70-294 4" 14.72 12.955</u> EXPANDABLE DOLLAR PLUG Image: Comparison of the "Gripper"™ uses the mechanical advantage of the inclined planes on the end plates and o-ring. When pressure is applied to the end plates by tightening the wing nut, the o-ring is effortlessly expanded by moving along the inclined surfaces of the plastic end plates. YOU CAN ACTUALLY FEEL THE SMOOTH, EASY MOVEMENT TAKING PLACE! Item # Description Price 1 Price 2 <u>90-555 1-1/2" 6.01 5.299</u> <u>90-556 2 " 6.81 5.999</u> <u>90-557 3 " 9.42 8.29</u>	DWV PLUG FOR SCHEDULE 40 • Raised head • Reuseable • For schedule 40 <u>tem # Description Price 1 Price 2</u> <u>70-297 1-1/4" 4.49 3.95</u> <u>70-289 1-1/2" 6.76 5.95</u> <u>70-287 3 " 9.03 7.95</u> <u>70-287 3 " 9.03 7.95</u> <u>70-295 4" 12.44 10.95</u> INSET TEST PLUG <i>inset rest plug</i> • Designed for ABS or PVC Sch 40 DWV pipe • Hinged knockouts prevent center from failling into pipe • White high impact plastic • Made in USA
REPAIR PLUG Image: Colspan="2">Image: Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2"Colspan=""2"Col	CLEAN OUT PLUG FOR IPS • Raised head • Reuseable • For IPS thread <u>Item # Description Price 1 Price 2</u> <u>70-290 1-1/2" 6.53 5.755</u> <u>70-291 2" 6.76 5.955</u> <u>70-292 3" 10.17 8.955</u> <u>70-293 3-1/2" 12.44 10.955</u> <u>70-294 4" 14.72 12.955</u> EXPANDABLE DOLLAR PLUG Image: Comparison of the "Gripper"™ uses the mechanical advantage of the inclined planes on the end plates and o-ring. When pressure is applied to the end plates by tightening the wing nut, the o-ring is effortlessly expanded by moving along the inclined surfaces of the plastic end plates. YOU CAN ACTUALLY FEEL THE SMOOTH, EASY MOVEMENT TAKING PLACE! Item # Description Price 1 Price 2 <u>90-555 1-1/2" 6.01 5.299</u> <u>90-555 2" 6.81 5.999</u> <u>90-555 4 " 9.42 8.299</u> <u>90-558 4 " 11.35 9.999</u>	DWV PLUG FOR SCHEDULE 40 • Raised head • Reuseable • For schedule 40 <u>Normalized Schedule 40</u> <u></u>
REPAIR PLUG Image: Colspan="2">Image: Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2"Col	CLEAN OUT PLUG FOR IPS • Raised head • Reuseable • For IPS thread • For IPS thread • To-290 1-1/2" 6.53 5.75 70-291 2" 6.76 5.95 70-292 3" 10.17 8.95 70-293 3-1/2" 12.44 10.95 70-293 3-1/2" 12.44 10.95 70-294 4" 14.72 12.95 • EXPANDABLE DOLLAR PLUG The design of the "Gripper" TM uses the mechanical advantage of the inclined planes on the end plates and o-ring. When pressure is applied to the end plates by tightening the wing nut, the o-ring is effortlessly expanded by moving along the inclined surfaces of the plastic end plates. YOU CAN ACTUALLY FEEL THE SMOOTH, EASY MOVEMENT TAKING PLACE! • Imstandard State of the inclined plates of the plastic end plates. YOU CAN ACTUALLY FEEL THE SMOOTH, EASY MOVEMENT TAKING PLACE! • Imstandard State of the inclined plates. YOU CAN ACTUALLY • FEEL THE SMOOTH, EASY MOVEMENT TAKING PLACE! • Imstandard State of the inclined plates. YOU CAN ACTUALLY • FEEL THE SMOOTH, EASY MOVEMENT TAKING PLACE! • Imstandard State of the inclined plates. YOU CAN ACTUALLY • FEEL THE SMOOTH, EASY MOVEMENT TAKING PLACE! • Imstandard State of the inclined plates. YOU CAN ACTUALLY • FEEL THE SMOOTH, EASY MOVEMENT TAKING PLACE! • Imstandard State of the inclined plates. YOU CAN ACTUALLY • FEEL THE SMOOTH, EASY MOVEMENT TAKING PLACE! • Imstandard State of the inclined plates. YOU CAN ACTUALLY • FEEL THE SMOOTH, EASY MOVEMENT TAKING PLACE! • Imstandard State of the inclined plates. YOU CAN ACTUALLY • FEEL THE SMOOTH, EASY MOVEMENT TAKING PLACE! • Imstandard State of the inclined plates. YOU CAN ACTUALLY • FEEL THE SMOOTH, EASY MOVEMENT TAKING PLACE! • Imstandard State of the inclined plates. YOU CAN ACTUALLY • FEEL THE SMOOTH (FAS) * 999 • 90-555 1-1/2 * 6.81 5.999 • 90-558 4 * 11.35 9.999 • 90-558 4 * 11.35 9.991 • 90-558 4 * 11.3	DWV PLUG FOR SCHEDULE 40 • Raised head • Reuseable • For schedule 40 <u>İtem # Description Price 1 Price 2</u> <u>70-297 1-1/4" 4.49 3.95</u> <u>70-289 1-1/2" 6.76 5.95</u> <u>70-288 2 " 6.76 5.95</u> <u>70-287 3 " 9.03 7.95</u> <u>70-295 4" 12.44 10.95</u> INSET TEST PLUG INSET TEST PLUG • Designed for ABS or PVC Sch 40 DWV pipe • Hinged knockouts prevent center from failing into pipe • White high impact plastic • Made in USA • Made in USA <u>İtem # Description Price 1 Price 2</u> <u>70-633 4" 1.47 1.29 </u>
REPAIR PLUG Image: Colspan="2">Image: Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2"Col	CLEAN OUT PLUG, FOR IPS • Raised head • Reuseable • For IPS thread	DWV PLUG FOR SCHEDULE 40 • Raised head • Reuseable • For schedule 40 > To schedule 40
REPAIR PLUG Image: Colspan="2">Image: Colspan="2" Image:	CLEAN OUT PLUG, FOR IPS • Raised head • Reuseable • For IPS thread <u>Iem # Description Price 1 Price 2</u> <u>70-290 1-1/2" 6.53 5.755</u> <u>70-291 2" 6.76 5.955</u> <u>70-292 3" 10.17 8.955</u> <u>70-293 3-1/2" 12.44 10.955</u> <u>70-294 4" 14.72 12.955</u> EXPANDABLE DOLLAR PLUG Image: Comparison of the "Gripper"™ uses the mechanical advantage of the inclined planes on the end plates and o-ring. When pressure is applied to the end plates by tightening the wing nut, the o-ring is effortlessly expanded by moving along the inclined surfaces of the plastic end plates. YOU CAN ACTUALLY FEEL THE SMOOTH, EASY MOVEMENT TAKING PLACE! Image:	DWV PLUG FOR SCHEDULE 40 • Raised head • Reuseable • For schedule 40 <u>İtem # Description Price 1 Price 2</u> <u>70-297 1-1/4" 4.49 3.95</u> <u>70-289 1-1/2" 6.76 5.95</u> <u>70-288 2 " 6.76 5.95</u> <u>70-287 3 " 9.03 7.95</u> <u>70-295 4" 12.44 10.95</u> INSET TEST PLUG INSET TEST PLUG • Designed for ABS or PVC Sch 40 DWV pipe • Hinged knockouts prevent center from failing into pipe • White high impact plastic • Made in USA • Made in USA <u>İtem # Description Price 1 Price 2</u> <u>70-633 4" 1.47 1.29 </u>



TOOLS

Sioux Chief **GRIP TIP** KNOCKOUT **TEST PLUG**



(881-10)

- · 2 tips that allow DWV system to be air or water tested
- · Perfect debris cover that knocks out in one piece
- · Easy to hold stem and a deeper glue surface provides easier installation than standard plugs

Item #	Description	Price 1	Price 2
70-416	1-1/2"	.44	.39
70-417	2"	.56	.49
70-418	3"	.67	.59
70-419	4"	.78	.69

(882-ES12) Sioux Chief (882-ES34) (882-ES46) SINGLE STAGE **INFLATABLE TEST PLUG**

Item #	Description	Price 1	Price 2
90-115	1-1/4" - 2", 5-1/2" Long	41.99	36.95
90-117	3" - 4", 7-1/4" Long	45.40	39.95
90-118	4" - 6", 10-1/4" Long	99.94	87.95

EXPANDING **DRAIN OPENER**



Connect it to your hose, the rest is automatic safe, & clean. Simply inserts into drain opening. It expands automatically when faucet turns on to form seal. Surge valve sends powerful water pulses through pipe to loosen and clear blockage. Automatically equipped with back flow protection

Item #	Description	Price 1	Price 2
90-109	Household 1"- 2" lines	19.31	16.99
90-110	Household 1-1/2"- 3" lines	20.44	17.99
90-112	Commercial 3"- 6" lines	45.44	39.99

FLOOD GUARDS



 Standpip 	Standpipe model for floor drains				
Item #	Description	Price 1	Price 2		
90-712	3" Flood Guard	33.52	29.50		
90-713	4" Flood Guard	34.03	29.95		

let Swet



Price 1 Price 2 Item # Description Combo (1/2", 3/4", & 1") 78.98 69.50 90-907

HEAVY-DUTY

CARRYING CASE AVAILABLE

HOLDS SIZES 1/2" TO 2"

· Eliminates:

Water Syphoning

Bread clogging lines

· Main valve seeping water



Description

1/2" Replacement Rubber

3/4" Replacement Rubber

1" Replacement Rubber

"<u>Net</u> Swet

REPLACEMENT RUBBERS

WHY USE JET SWET?

- · Quick work on all full-port ball & gate valves & fittings
- Solder with water in lines
- Repair copper pipe
- Repair PVC pipe

214

- · Change MIP or FIP fittings
- · Working pressure up to 60 PSI
- Available in sizes 1/2" thru 4"
- Freon to freeze the lines

The replacement for "plumbers bread". Finally the Plumber has a low cost and highly effective way to solve the age old problem of having to wait for the water to drain before he can solder.

Price 2

6.09

8.49


Price 1

6.92

8.51

9.65

The Jet Swet tool eliminates the need to wait for the water to stop draining or siphoning before you can solder copper or glue PVC pipes. The tools insert through a valve or fitting to seal off the water so that they may be replaced, water free. When repairing pinholes in a water line, valves or unions can be installed to keep the water away from the repair. This new technique developed by a working master plumber makes repair and replacement work safe where there is a water siphoning danger. Works on most full port gate and ball valves. Also allows male and female fittings to be replaced or installed. Kit contains up to six sizes with carrying case. 1/2", 3/4", 1", 1-1/4", 1-1/2", 2".



Phone: 1-800-777-6500 Fax: 1-800-982-5934 Web: www.HodesCo.com

FLOOD GUARDS

To prevent basement flooding flood-guard operates like a check valve to seal off water back-up caused by overloaded sewers. Water flows normally through the drain until the sewer begins to back-up. Then the flood-guard float rises to seal off the drain opening until the water recedes.

Item #	Description	Price 1	Price 2
90-714	2" Float Model	22.67	19.95
90-710	3" Float Model	18.13	15.95
90-711	4" Float Model	20.40	17.95

URINAL PLUG **EXPANSION TYPE**



· For plugging water lines and stub-outs

Item #	Description	Price 1	Price 2
90-525	1/2" Round x 3/4" High	5.44	4.79
90-526	3/4" Round x 1 1/8" High	5.67	4.99
90-868	1" Round	6.58	5.79
90-869	1-1/4"	7.94	6.99



Stops the water so you can solder
Solder copper lines in seconds
 Elbows and valves are no problem
Strong no-pinch handle
· New ultra-flex cable design, includes handle and cable
 Set includes 1/2", 3/4", and 1" cable plus handle

Item # Description Price 1 Price 2 90-483 100.57 88.50 Complete Set & Handle

Turn Your Plumbing Shop into a Supply House Profit Center



FREE CUSTOM DRODUCT AND BIN LADELS Just Send Us Your Logo!

LODER CO	Price 1	Price 2
PROFERRED PLUMBING PARTS	Order Less Than \$500	Order \$500 or More

Item #

90-911

90-912

90-913

LIQUILOCK (314174) Solidifies water in approximately dimetes to help prevent day and the to help prevent day dimetes t	то	CHEMICALS COMPOUNDS, TOOLS UTILITY & HVAC	
Obside Obside	 Solidifies water in approximately 4 minutes to help prevent drips and leaks when removing a toilet Use 1 package for a 1.6-gal. toilet and 2 packages for a 3.5-gal. toilet Non-toxic Easily flushes away with water once toilet repair is complete 	PIPE CLEANERS HANDY™	Ake your parts Inventory a profit center. Do it yourself parts supply house.
FLEXICORE (T6FL-DH) DEINENTIAL DEINENTIAL CLOSET AUGERS Image: Cleaners DOWN HEAD FLEXICORE® CABLE WIRE ROPE WIRE ROPE INNERCORE CABLE INNERCORE CABLE	AUGER PIPE CIEANERS AUGER • 3 foot • Rubber guard • Wood handle • Designed for homeowner Item # Description Price 1 Price 2	 Gets through urinals where other snakes can't 48' long spring specially coiled for cleaning urinals Spring telescoping from guide tube to clear stoppage beyond urinal Compact and durable design includes: 1-1/4" zinc plated steel outer tube, hexagonal aluminum inner tube, galvanized steel push rod, rubber bumper to protect bowl, aluminum turning handle, vinyl grip handle and grip-clip to attach spring when not in use. <u>Item # Description Price 1 Price 2</u> 91-115 2' - 4' Urinal Auger 51.08 44.95 	 Vinyl guard protects bowl Brass finish steel tube, die cast handles Double spring gives tremendous resistance to kinking Flexible downhead slides through bowl, springs around corners Guaranteed against breaking for a full year Item # Description Price 1 Price 2 90-200 3' Closet Auger 48.81 42.95
Item # Description Price 1 Price 2 slight space between each coil turn to ensure proper flexibility • So tough it carries a one-year warranty against breakage 90-202 3' - 6' Auger 79.49 69.95 Item # Description Price 1 Price 2 Item # Description Price 2	FLEXICORE CLOSET AUGERS (T6FL-DH) Image: Closer auger clears Image: Clears Image: Clears stoppages beyond bowl Image: Clears Image: Clears stoppage: Clears stoppages beyond bowl Image: Clears Image: Clears stoppage: Clears stoppages stoppages Image: Clears Image: Clears stoppage: Clears stoppage: Clears stoppage: Clears Image: Clears Image: Clears stoppage: Clears stoppage: Clears stoppage: Clears Image: Clears Image: Clears stoppage: Clears stoppage: Clears stoppage: Clears Image: Clears Image: Clears stoppage: Clears stoppage:	 PIPE GLEANERS DOWN HEAD CABLE OWN HEAD CABLE Over the stack For hand operation down the waste - not up the stack Flexible wire cables Each steel cable is wound tightly over a wire rope with a slight space between each coil turn to ensure proper flexibility. <u>Item # Description Price 1 Price 2</u> 90-220 1/4" x 25' w/Down Head 76.08 66.95 	PIPE GLEANERS FLEXICORE® WIRE ROPE INNERCORE CABLE WITH DOWNHEAD Output • Heavy-gauge wire coiled around aircraft-type wire rope • Heavy-gauge wire coiled around aircraft-type wire rope • Has unequalled strength and the right amount of flexibility • So tough it carries a one-year warranty against breakage Imm # Description Price 1 Price 2 91-108 1/4" x 25' w/Down Head

S100.



TOOLS CHEMICALS COMPOUNDS, TOOLS UTILITY & HVAC										
COPPER CLEANING PAD	WET-CUT WATERPROOF CLOTH	DEBURRING TOOL								
SOLD 10 PER PACKAGE ONLY Item # Description Price 1 Price 2 90-537 4" x 6" .90 .79	 100% resistant to water, cutting oils, grease, chemicals and other solvents Does not need to be "flexed" 120 grit grain, "J" weight cloth The best choice for air conditioning parts Item # Description Price 1 Price 2 90-572 1-1/2" x 75' Roll 15.56 13.69 	Plastic body Blade made out of high carbon steel Includes spare blades stored in body 1 per card <u>Item # Description Price 1 Price 2 90-188 Deburring Tool 9.03 7.95 Replacement Blades 90-288 (Sold 5 Per Only) 3.35 2.95 </u>								
SAND CLOTH	WET - O - DRY PERMANENT	BLUE MONSTER ALUMINUM OXIDE OPEN MESH								
120 GRAIN SAND – EMERY CLOTH	SAND CLOTH SAND CLOTH A permanent sand cloth. You can see through it. Besides being a terrific cleaner for copper tube, it's very effective for cleaning the face of a flush valve seat. PACKAGED IN DISPLAY BOX 1 PER BOX - 24 PER CARTON <u>Item # Description Price 1 Price 2</u> 90-561 1-1/2" x 15' Roll (5 yds) 6.81 5.99	ABRASIVE ABRASIVE ABRASIVE Wite aluminum oxide • Premium blended 165 grit white aluminum oxide • Cuts and scores surfaces faster for more effective cleaning and deburring • 21 x 21 Mesh - larger holes prevents "loading" and allows contractors to rinse the mesh clean Mem # Description Price 1 Price 2								
I PER BOX - 24 PER CARTON Item # Description Price 1 Price 2 90-560 1-1/2" x 30' Roll (10 yds) 5.67 4.99	90-565 1-1/2" x 30' Roll (10 yds) 10.22 8.99 90-562 1-1/2" x 75' Roll (25 yds) 20.44 17.99	82-147 Open Mesh 2" x 5 Yard Roll 10.22 8.99 82-136 Open Mesh 2" x 10 Yard Roll 17.03 14.99								
OUNTY SERVICE CONTACT	Kansas City, Missouri	Delivery time Next day 2 days 								
		☐ 2 ddys ☐ 3 days								
Price 1 Price 2 Order Less Than \$500 Order \$500 or	HODESCO	Phone: 1-800-777-6500 Fax: 1-800-982-5934 217 sb: www.HodesCo.com								









	сомр	HEMICALS OUNDS, TOOL LITY & HVAC	s 🍯		GAU	GES	
		PIGTAIL M SYPHON		POLY INSULATION FOR ELBOWS		POLY INSULATION FOR TEES	
	(ind)	91-132 91-130					
	<i>Item</i> # 91-130	Description Straight 180 Degree Steel	Price 1 Price 2 5.63 4.95	Item # Description 74-824 Poly Insulation For 1/2"	Price 1 Price 2 3.35 2.95	Item # Description 74-820 Poly Insulation For 1/2"	Price 1 Price 2 4.49 3.95
	91-131 91-132	Straight 180 Degree Brass Angle 90 Degree Steel	9.948.755.634.95	74-825Poly Insulation For 3/4"74-826Poly Insulation For 1"	4.49 3.95 5.63 4.95	74-821 Poly Insulation For 3/4" 74-822 Poly Insulation For 1"	5.63 4.95 6.76 5.95
	91-133	Angle 90 Degree Brass	9.94 8.75	74-827 Poly Insulation For 1-1/4"	6.76 5.95	74-823 Poly Insulation For 1-1/4	7.90 6.95
	GAS TE GAU			ONE SIDED FOAM TAPE		WATER TEST GAUGE	
GAUGES	• 2" Gaug • Adapts to //tem # 91-254	e o 3/4" MPT Description 0#–15# PSI Rating	Price 1 Price 2 13.58 11.95			40 60 MESTRALI 20 95 and counciliant	80 10 10
	91-255 91-256	0#-30# PSI Rating	13.58 11.95 13.58 11.95	 1/8" Thick x 3/4" Wide x 6' Replacement cover gasket material for a start start and star	r		
	91-257	0#–60# PSI Rating 0#–100# PSI Rating	13.58 11.95	gas-tight and water-tight seals Item # Description	Price 1 Price 2	Item # Description	Price 1 Price 2
	91-258	Body Only with Air Valve	7.90 6.95	70-127 3/4" x 72"	7.90 6.95	91-218 2" 0-100 PSI	4.26 3.75
	<i>Item #</i> 91-219 91-200 91-210 91-201 91-203	GE PT-ONE TO A BOX PT-ONE ice 1 Price 2 11.31 9.95 6.76 5.95 11.31 9.95 14.72 12.95 6.76 5.95 14.72 12.95 6.76 5.95	 • 2-1/2" Gauge throttle plug • 0-300 PSI dial unbreakable face • 3/4" female hose connection 	200 250 00 00 00 00 00 00 00 00 00 00 00 00 0	2-1/2" Gauge throttle plug 0-300 PSI dial unbreakable face 3/4" female hose connection	ccessivē pressures. overnight.) LAZY hand 0-300 psi. pro) pushes LAZY hand ing or surge pressure manually reset it. <u>Price 1 Price 2</u>	
	91-206	2-1/2" - 300# Ga. PSI	14.72 12.95	91-250 Water Test Gauge	15.85 13.95	91-251 Water Test Gauge w/Lazy Ha	
	222	Fax: 1-80	00-777-650 0-982-5934	HODES	Order		rice 2
1		Webe www.	พราสออกเลอ	CALOPERNES ACOMBING			

PEDICES

TOILET PLUNGERS

Price 1

Order Less Than \$500

Price 2

Order \$500 or More

COMPOUNDS, TOOLS UTILITY & HVAC PROGOLD™ BIG YELLA SEALMASTER® **6 INCH FORCE HYDRO-THRUST** CUP PLUNGER **FREE FLO FORCE** CUP YOUR COMPANY HERE Preferred for all types of sinks, bowls and drains hone: (847) 639-7586 Handle included Item # Description Price 1 Price 2 Item # Description Price 1 Price 2 90-101 6.76 5.95 90-102 7.90 6.95 6" Force Cup Plunger Force Cup **SUPER FORCE SOIL PIPE** CUP FORCE CUP PLUNGERS Sold individually private labeled with your company logo & phone number in your company colors Item # Description Price 1 Price 2 12.44 10.95 90-702 Adhesive Private Label ProGoldTM BIG YELLA **Hydro-Thrust Plunger** Preferred for all types of sinks, bowls and drains Handle included Item # Description Price 1 Price 2 Item # Description Price 1 Price 2 90-104 90-107 Super Force Cup Plunger 15.85 13.95 15.34 13.50 Force Cup Plunger korky. kork **BEEHIVE MAX** PLUNGER WITH HOLDER MAXPERFORMANCE Guaranteed to fit all shapes and sizes of toilet bowls · Pro style heavy duty PowerFLEX design · 21" wood handle Price 1 Price 2 Item # Price 1 Price 2 Item # Price 1 Price 2 Item # Description Description Description 90-113 14.72 12.95 90-119 Korky Beehive Max Plunger 21.53 18.95 90-704 Yellow Hydro-Thrust Plunger 11.31 9.95 Korky MaxPerformance

223

Phone: 1-800-777-6500

Fax: 1-800-982-5934

Webs www.HodesCo.com

CHEMICALS

	CHEMICALS Compounds, tools Utility & hvac	DRYER VENTS AND TAPE						
	ALL WEATHER ELECTRICAL TAPE	BLUE MONSTER	BLUE MONSTER					
	ELECTROFLEX	COMPRESSION SEALING TAPE 1" X 12'	GAS GUARD PTFE TAPE 1/2" x 1000"					
	For professional use Temp. range -10 to +170F 600 volt Excellent memory <u>Item # Description Pkg Qty Price 1 Price 2</u> 70-157 3/4" x 60' Vinyl Roll 10 1.99 1.75	1" x 12' Roll Seal leaks up to 150 PSI (water, air, steam) Self-fusing layers for a waterproof, long-term seal Effective to 500°F Ok to bury Environmentally safe <u>Item # Description Price 1 Price 2</u> 82-139 Compression Sealing Tape 43.13 37.95	 Use on pipe made from galvanized steel, iron, brass, copper, aluminum, SSI, polyethylene, polypropylene, PVC, CPVC, ABS, and fiberglass Do NOT use Blue Monster Gas Guard Thread Seal Tape on oxygen systems Item # Description Price 1 Price 2 82-155 PTFE Tape 1/2" x 1000" 					
	TEFLON TAPE Plastic covered spool 1/2" x 260" MIL-SPEC T-27730a	TEFLON TAPE Plastic covered spool 1/2" x 520" MIL–SPEC T-27730a	BLUE MONSTER THREAD SEAL TAPE					
DRYER VENT/TAPE			• Temperature range -450F to +500F (-268C tp +260C)					
	High Quality Thickness: .003" Density: .35g/cm ³ SOLD 10 PER PACKAGE ONLY Item # Description Price 1 Price 2	High Quality Thickness: .003" Density: .35g/cm ³ SOLD 10 PER PACKAGE ONLY Item # Description Price 1 Price 2	Seals fittings at pressures up to 10,000 PSI Professional grade PTFE thread seal tape Acts as a thread lubricant and anti-seize <u>Item # Description Price 1 Price 2 82-130 1/2" x 1429" Tape 4.49 3.95 82-137 3/4" x 1429" Tape 5.63 4.95 } </u>					
	82-107 1/2" x 260" Tape .44 .39 TEFLON TAPE Plastic covered spool	82-108 1/2" x 520" Tape .67 .59 TEFLON TAPE Plastic covered spool	82-140 1" x 1429" Tape 7.90 6.95 TEFLON TAPE Plastic covered spool					
	3/4" x 260" MIL-SPEC T-27730a	MIL-SPEC T-27730a	1" x 520" MIL-SPEC T-27730a					
	 High Quality Thickness: .003" Density: .35g/cm³ SOLD 10 PER PACKAGE ONLY Item # Description Price 1 Price 2 82-106 3/4" x 260" Tape .56 .49 	High Quality Thickness: .003" Density: .35g/cm ³ SOLD 10 PER PACKAGE ONLY <u>Item # Description Price 1 Price 2 82-109 3/4" x 520" Tape 1.01 .89 82-110 3/4" x 1296" Tape 2.72 2.39 </u>	High Quality Thickness: .003" Density: .35g/cm ³ <u>SOLD 10 PER PACKAGE ONLY [tem # Description Price 1 Price 2 82-112 1" x 520" Tape 1.13 .99 </u>					
	224 Phone: 1-800-777-650 Fax: 1-800-982-5934 Wab: www.HodesCo.es	HODESCO	Price 1 Price 2 Less Than \$500 Order \$500 or More					

DRYER VENTS AND TAPE



DRYER VENT/TAPE

CHEMICALS







FLOOR AND UTILITY DRAINS




CHEMICALS

COMPOUNDS, TOOLS



PUMPS AND UTILITY

Web: www.HodesCo.com



UNIVERSAL TANK LEGS THERMOCOUPLES · Replaces all standard HONOR thermocouples in water heaters, central furnaces, RV heaters and many space heaters тнү PLUMBE Item # Price 1 Price 2 Description 44-301 7.67 6.75 18" **PROFESSIONAL GRADE** 44-302 7.90 24" 6.95 44-303 8.81 7.75 30" PRODUCTS Item # Description Price 1 Price 90-464 44-304 9.03 7.95 7.90 6.95 36" Set of 3 Tank Legs MADE OF HI-DENSITY RADIATOR WATER HEATER **CABLE TIE** POLYETHYLENE OR ALUMINUM VALVE SAF-T-PAN · Virtually indestructible Comes with 1" drain · Will not rust or corrode · Will withstand temperatures from - 40°F to 250°F • Eliminates water damage from leaking water heaters Can be hooked up to pass all codes SOLD IN BOX Item # Description Price 1 Price 2 QUANTITIESONLY 43-286 3.13 2.75 1/8" MIP w/ Key Descriptior Item # Box Qtv Price 1 Price 2 SOLD 50 PER PACKAGE, ONLY 2.84 90-827 22.67 19.95 43-285 Valve Only - Coin Slotted 22" Aluminum Pan 6 Description Item # Price 1 Price 43-287 Key Only - Sold 10 per Only .85 90-822 14.72 70-964 .28 .75 24" Plastic Pan 14" Black Cable Tie .25 COMBINATION HIGH LOWER WATER COMBINATION ŰL) (UL LIMIT UPPER HEATER **HIGH LIMIT SINGLE** LISTED LISTED THERMOSTAT ELEMENT THERMOSTAT THERMOSTAT · For single element · Energy efficient range settings · Energy efficient range settings · Built in safety switch to prevent overheating · Built in safety switch to prevent overheating · All thermostats are adjustable UL approved — one year warranty · All thermostats are adjustable Price 1 Price 2 Item # Description Item # Description Price 1 Price 2 Description Price 1 Price 2 Item # 44-342 **44-340** Lower Thermostat, Single Pole 11.31 9.95 44-343 22.67 19.95 22.67 19.95 Single Thermostat Upper Thermostat

Price 1

Order Less Than \$500

Price 2

Order \$500 or More

Phone: 1-800-777-6500

Fax: 1-800-982-5934

Web: www.HodesCo.com

231



Phone: 1-800-777-6500 Fax: 1-800-982-5934 Wab: www.HodesCo.com

Price 1 Price 2
Order Less Than \$500 Order \$500 or More

232

HVAC

CONTACTORS & RELAYS

Definite Purpose Contactors

- · Designed to control air conditioning, refrigeration and resistance heating loads
- Ranges: 20 to 90 Full Load Amps (FLA)
- Poles: 1-1/2 to 3
- Coil Voltages: 24, 120 & 208/240
- · Universal mounting base allows easy replacement of other manufacturers' devices
- · Molded enclosed, replaceable coil structures
- · Optional field installed auxiliary contacts available

20 - 40 FULL LOAD AMPS / 1.5 & 2 POLES FEATURES

- The coil and each power pole are supplied with two 1/4" quick connect terminals.
- Standard 20 30 FLA contactors feature hex screws with #2 Phillips / slotted heads.
- · Standard 40 FLA contactors include box lugs.

		Full Load	Resistive Amps	LRA Single Phase 50/60 Hz					
Item #	Poles	Amps	Per Pole	240/277V	480V	600V	Coil Voltage	Price 1	Price 2
46-340	1.5	30	40	180	150	120	24/240	11.31	9.95
46-341	2	30	40	180	150	120	24	13.58	11.95
46-342	2	30	40	180	150	120	120	11.31	9.95
46-343	2	40	50	240	200	160	24	13.58	11.95

25 - 40 FULL LOAD AMPS / 3 POLE

- The coil and each power pole are supplied with two 1/4" quick connect terminals.
- · Standard 25 and 30 FLA contactors feature hex screws with #2 Phillips / slotted heads and short covers.
- · Standard 40 FLA contactors include box lugs and long covers.

			Full Load	Resistive Amps	Three Phase 50/60 Hz			Single Phas	se 50/60 Hz			
	ltem #	Poles	Amps	Per Pole	240V HP / LRA	480V HP / LRA	600V HP / LRA	HP@20V	HP@20V	Coil Voltage	Price 1	Price 2
4	6-344	3	30	40	10/180	15/150	15/120	2	5	24	20.40	17.95
4	6-345	3	30	40	10/180	15/150	15/120	2	5	120	20.40	17.95
4	6-346	3	30	40	10/180	15/150	15/120	2	5	208/240	22.67	19.95
4	6-347	3	40	50	10/240	20/200	20/160	3	7.5	24	22.67	19.95
4	6-348	3	40	50	10/240	20/200	20/160	3	7.5	208/240	22.67	19.95

GENERAL PURPOSE SWITCHING RELAYS **DOUBLE POLE - DOUBLE THROW (DPDT)**

Applications

- HVAC/ R
- · Appliance vending machines
- Fan controls
- Business machines

	Power	208/240V	Pilot 208/240V		
CONTACT RATING	120V	277V	120V	277V	
Full Load Amps	12	6	-	-	
Resistive Amps*	15	15	3	3	
Locked Rotor Amps	60	35	-	-	
Horsepower	3/4	3/4	1/10	1/10	

*0.75 power factor

Price 1

Order Less Than

				Terminal		Cross Reference								
Ite	m#	Coil Volrage	Terminal 1-2-3	4-5-6	Exxex/RBM	Honeywell	Price 1	Price 2						
46	-636	24	power	power	90-340	R8222D1014	15.85	13.95	Item #	Open	Close	Differential	Price 1	Price 2
46	637	110/120	power	power	90-341	R4222D1013	16.99	14.95	46-875	50	35	15	5.97	5.25
46	-638	208/240	power	power	90-342	R4222N1021	16.99	14.95	46-876	60	45	15	8.24	7.25
						~ 								

	Price 2	
\$500	Order \$500 or More	HO





(FL50)

(FL60)


HVAC FLUSH MOUNT STAGING THERMOSTAT



Phone: 1-800-777-6500 Fax: 1-800-982-5934 Web: www.HodesCo.com

233

CHEMICALS COMPOUNDS, TOOLS UTILITY & HVAC



GNITERS

